

# SECTION-1 TABLE — A: TIME AND WORK FRAME

**EXECUTION OF WORK** 

# FOR THE WORK UNDER- PROVIDING NEW BOOKING COUNTER AND CLOAK ROOM INCLUDING SHIFTING OLD BOOKING AT AGRA FORT, AGRA

MANUAL BIDS SHALL NOT BE ACCEPTED.

CRITICAL DATE SHEET

| 1. | Bid Start Date                          | 09/08/2022                         |
|----|---|------------------------------------|
| 2. | Bid Document Download / Sale Start Date | 09/08/2022                         |
| 3. | Bid Submission Closing Date             | 30/08/2022at 15:00                 |
| 4. | Technical Bid Opening Date              | 31/08/2022at 15:30                 |
| 5. | Financial Bid Opening Date/Time         | After Opening Technical Bid        |
| 6. | Validity of Bid                         | 120 days from the date of opening. |



The Archaeological Survey of India Agra Circle, Agra invites Online Bids in the prescribed form under the double Bid system i.e. technical and Financial Bid for Execution of work PROVIDING NEW BOOKING COUNTER AND CLOAK ROOM INCLUDING SHIFTING OLD BOOKING AT AGRA FORT, AGRA

1. The system of e-tendering shall be adopted as double Bid. Tender documents may be downloaded from CPPP site <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a> as per the schedule as given in CRITICAL DATE SHEET.

#### 2. Bid Submission:

Applicants/ intending or interested Bidders are invited to submit their online proposal after carefully reading the Request for Proposal (RFP) by providing necessary document and submission of BOQ. Such proposal are to be submitted online within the stipulated date and time as mentioned in the Tender Document and as given in CRITICAL DATE SHEET. Bids shall be submitted online only at CPPP website: <a href="https://eprocure.gov.in/eprocure/app.">https://eprocure.gov.in/eprocure/app.</a>.

Bid documents may be scanned with 100 dpi with black and white option which help in reducing size of the scanned document.

#### 3. Earnest Money Deposit:

The Hard Copy of original instruments in respect of cost of earnest money must be deposited to the SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE, 22 MALL ROAD, AGRA on or before Tender opening date/ time as mentioned in critical date sheet.

The offer without EMD will be rejected summarily. EMD is to be supplied by all the bidders except those who are registered with Central Purchase Organization, National Small Industries Corporation (NSIC)/ MSME or Who have submitted Bid Security Declaration.

4. Tender cost Of Tender: RS. 28,44,227/- (Rs. TWENTY EIGHT LAKHS FORTY FOUR THOUSAND TWO HUNDRED TWENTY SEVEN ONLY)

#### -: Contact Details:-

| Contact Person            | SUPERINTENDING ARCHAEOLOGIST   |
|---------------------------|--|
| Address for communication | SUPERINTENDING ARCHAEOLOGIST,  ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE, 2  MALL ROAD, AGRA  e-mail – circleagra.asi@gov.in |
| Contact No.               | 0562- 2227261  |



#### FILE NO-03/AGF/16/2022-2023/W **GOVERNMENT OF INDIA**

भारत सरकार

Office of the Superintending Archaeologist कार्यालय अधीक्षण पुरातत्वविद् Archaeological Survey of India भारतीय प्रातत्व सर्वेक्षण Agra Circle, 22 Mall Road, Agra 282001 आगरा मण्डल, 22 माल रोड, आगरा 282001

> NOTICE INVITING TENDER निविदा आमंत्रण स्चना

The Superintending Archaeologist, Archaeological Survey of India, Agra Circle, Agra, invites e-tender on the behalf of the President of India, through CPP Portal for the following works as per specification given below under the work PROVIDING NEW BOOKING COUNTER AND CLOAK ROOM INCLUDING SHIFTING OLD BOOKING AT AGRA FORT, AGRA from the registered contractors of Archaeological Survey of India or any Central Government Department.

अधीक्षण पुरातस्विविद्, भारतीय पुरातत्व सर्वेक्षण आगरा मण्डल, आगरा भारत के राष्ट्रपति की ओर से सी० पी० पी० पोर्टल के माध्यम से कार्य PROVIDING NEW BOOKING COUNTER AND CLOAK ROOM INCLUDING SHIFTING OLD BOOKING AT AGRA FORT, AGRA हेत् भारतीय पुरातत्व सर्वेक्षण या केंद्र सरकार के किसी विभाग के पंजीकृत ठेकेदारों से ई टेंडर आमंत्रित करता

#### Eligibility Criteria: -

पात्रता मापदंड:-

10 The firm/Agency should have registration in ASI / any Central Government Department for civil works.

- क. फर्म / एजेंसी का सिविल कार्यों के लिये भारतीय प्रातत्व सर्वेक्षण / केंद्र सरकार के किसी भी विभाग में पंजीकरण होना
- 3. The firm/Agency should have GST registration.
- ख. फर्म / एजेंसी के पास जी० एस० टी० पंजीकरण होना चाहिये।
- 4. Pan Card.
- ग. पेन कार्ड।
- 5. The Firm/Agency should have income tax return for three financial year 2018-2019, 2019-2020 and 2020-2021. (A.Y. 2019-2020, 2020-2021, & 2021-2022).
- घ. फर्म / एजेंसी को तीन वित्तीय वर्ष 2018–2019, 2019–2020 एवं 2020–2021 (निर्धारण वर्ष 2019–2020, 2020–2021 एवं 2021-2022) का आयकर रिटर्न भरा होना चाहिये।
- 6. The firm/agency should have average annual financial turnover during three financial year ( 2018-2019, 2019-2020 and 2020-2021), should be at least 30% of the tender cost i.e. Rs. 8,53,268/-. A certificate in this regard issued by the CA has to be submitted.
- च. फर्म / एजेंसी के पास 3 वित्तीय वर्षों (2018—2019, 2019—2020 एवं 2020—2021)के दौरान औसत वार्षिक वित्तीय करोबार निविदा राशि का कम से कम 30 प्रतिशत होना चाहिये यानी रु० 8,53,268/- जिसे सी० ए० द्वारा जारी प्रमाण पत्र के रुप में प्रस्तुत करना होगा।
- 7. The firm / agency should have experience for completion at least three similar nature of work costing not less than 40% of the tender cost i.e. 11,37,691/- OR Two Similar Nature of works Costing not less than 50% of the tender cost i.e. Rs. 14,22,114/- OR One Similar Nature of work costing not less than 80% of the tender cost i.e. Rs. 22,75,382/-. And that/those work/works should have been completed during the last seven financial years. i.e. 2015-2016 to 2021-2022.
- छ. फर्म / एजेंसी को समान प्रकृति के तीन कार्य निविदा राशि से 40 प्रतिशत से कम नहीं यानी रु० 11,37,691/- या दो समान प्रकृति का काम, निविदा राशि का 50 प्रतिशत से कम नहीं यानी रु० 14,22,114/- या एक समान प्रकृति का काम निविदा राशि का 80 प्रतिशत से कम नहीं यानी रु० 22,75,382/- का होना चाहिये और उन तीन कामों को पिछले सात वित्तीय वशों के दौरान पूरा किया जाना चाहिये यानी 2015-2016 से 2021-2022 के मध्य।
- 8. Copy of work order and completion certificate should be uploaded on CPP Portal as per tender भारतीय प्रशास PROVIDING NEW BOOKING COUNTER AND CLOAK ROOM INCLUDING SHIFTING OLD BOOKING AT AGRA FORT, AGRANTING 3 required.

ज. कार्य आदेश और पूर्णता प्रमाण पत्र की प्रतिलिपि आवश्यक निविदा के अनुसार सी० पी० पी० पोर्टल पर अपलोड की जानी चाहिये।

The eligible Contractors may upload their tender documents online only at CPPP website: https://procure. gov.in/ eprocure /app. upto 15:00 hours of 30/08/2022which will be opened on dated 31/08/2022at 15:30 hours.

पात्र ठेकेदार केवल सी० पी० पी० वेबसाईट http://eprocure.gov.in/eprocure/app पर अपने निविदा दस्तावेज दिनांक 30/08/2022at 15:00 तक ऑनालाइन अपलोड कर सकते हैं जो दिनांक 31/08/2022at 15:30 खोला जाएगा।

TENDER COST RS. 28,44,227/- (Rs. TWENTY EIGHT LAKHS FORTY FOUR THOUSAND TWO HUNDRED TWENTY SEVEN ONLY)

अनुमानित राशि:- 💠 28,44,227/- (रु० अठाईस लाख चौबालीस हजार दो सौ सताईस मात्र)

EARNEST MONEY RS. 71,106/- (SEVENTY ONE THOUSAND ONE HUNDRED SIX ONLY)

अमानत राशि:- रु० 71,106/- (रु० एकहत्तर हजार एक सौ छह मात्र)

(Exemption as per rules)

(नियमानुसार छूट)

The earnest money should be in the form of FDR drawn in favour of the "SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA" Payable at Agra of any scheduled bank guaranteed by the Reserve Bank of India and enclose with the tender.

अमानत र्राशि एफ0 डी0 आर0 के रुप में निविदा के साथ संलग्न होना चाहिए जो "भारतीय रिजर्व बैंक द्वारा समर्थित आगरा के किसी भी अनुसूचित बैंक में अधीक्षण पुरातत्विवद, भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा के पक्ष में देय हो।

Time allowed for completion of work will be 60 days which will be reckoned after fifteen days from the date of issue of order. Tenders of the contractors who do not deposit earnest money in favour of the SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE in the prescribed form will be liable to be summarily rejected.

कार्य पुरा होने के लिए अनुमत समय 60 दिन होगा जिसे कार्य आदेश जारी होने की तारीख से पंद्रह दिनों के बाद से माना जाएगा। उन ठेकेंद्रीरों की निविदाएं निरस्त मानी जाएगी जो अधीक्षण पुरातत्वविद, भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा के पक्ष में निर्धारित राशि जमा नहीं करते हैं।

Conditions and tender forms can be downloaded from our ASI website www.asiagracircle.in and eportal eprocure gov.in. w.e.f. 09/08/2022 to 30/08/2022 upto 15:00 hours of each day.

निविदा पौर्ते एवं प्रपत्र हमारी वेबसाईट www.asiagracircle.in और e-portal eprocure.gov.in. से दिनांक 09/08/2022 मे दिनांक 30/08/2022upto 15:00 बजे तक डाउनलोड किए जा सकते हैं।

No tender shall be entertained after this deadline under any circumstances what so ever. The Bids of tenders will be opened on 31/08/2022AT 15:30 HRS. in the presence of authorized representative of Bidders as may wish to be personally present.

इस समय सीमा के बाद किसी भी परिस्थिति में कोई भी निविदा पर विचार नहीं किया जाएगा। निविदाओं की तकनीकि बोलियां बोलीदाताओं के अधिकत प्रतिनिधि की उपस्थिति में या व्यक्तिगत रूप से उपस्थिति में दिनांक 31/08/2022 को 15:30 बजे खोली जाएगी।

Tender documents are available in the ASI website www.asiagracircle.in and e-portal eprocure.gov.in. The bidder must attach the copy of EMD should be deposited in ASI, Agra Circle Agra on or before the date of opening the tender.

भारतीय प्रातत्व सर्वेक्षण, आगरा की वेबसाईट www.asiagracircle.in और e-portal eprocure.gov.in. पर निविदा दस्तावेज उपलब्ध हैं। बोली लगाने वाले को तकनीकि निविदा खोलने से पहले भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा में अमानत राशि की प्रति जमा करनी होगी।

The Archaeological Survey of India reserves the right to amend or withdraw any of the terms and conditions contained in the Tender Document or to reject any or all tenders without given any notice or assigning any reason. The decision of the Archaeological Survey of India, in this regard shall be final and binding on all darties in all circumstances.

भारतीय पुरातत्व सर्वेक्षण निविदा दस्तावेज में शामिल किसी भी नियम और शर्तों को संशोधित करने ये किस नोटिस दिए बिना गा कोई कारण बताए किसी भी या सभी निविदाओं को अस्वीकार करने का अधिकार सुरक्षित स्वाम भारतीय प्रशासन शास्त्र प्रशास्त्र सर्वसन् भारतीय परातत्व सर्विक्षण का निर्णय सभी परिस्थितियों में सभी पक्षों पर अंतिम और बाध्यकारी होगा। Arehan-slouical Survey of India SHITT HUSE, Agra

#### NAME OF WORK: PROVIDING NEW BOOKING COUNTER AND CLOAK ROOM INCLUDING SHIFTING OLD BOOKING AT AGRA FORT, AGRA

|                   | OLD BOOKING AT AGRA FORT, AGRA   |               |                           |
|-------------------|--|---------------|---------------------------|
| SI.= <sup>a</sup> | Description of Execution of work   | Qt            | у.                        |
| 1,                | Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead. (Rate Including GST).   | 225.05        | Sqm                       |
| 2.                | Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 meter lead. (Rate Including GST).  | 51.75         | Sqm                       |
| 3.                | Dismartling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including ismembering and stacking within 50 metres lead(Rate Including GST).   | 3481.8        | Kgs                       |
| 4.                | Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 meters lead as per direction of Engineer - in - charge, Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix). (Rate Including GST).   | 16.23         | Cum                       |
| 5.                | Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead. (Rate Including GST).   | 11.00         | Nos.                      |
| 6.                | Dismartling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. and refixing at other location with in 150mt". (Rate Including GST).  | 975.31        | Kg                        |
| 7.                | Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, ncluding getting out the excavated soil and disposal of surplus excavated soil asdirected, within a lead of 50 m. All kinds of soil. (Rate Including GST). | 30.48         | Cum                       |
| 8.                | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and liftupto 1.5 m. (Rate Including GST).   | 54.13         | Cum                       |
| 9.                | Providing and laying in position cement concrete 1:3:6 (1Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size). of specified grade excluding the cost of centering and shuttering as per direction of Engineerin-charge. (Rate Including GST).   | 47.17         | Cum                       |
| 10.               | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in Cement mortar 1:4 (1 cement : 4 coarse sand). (Rate Including GST).   | 21.85         | Cum                       |
| 11.               | Providing and laying damp-proof course 50mm thick with cement concrete 1:2:4 (1 cement : 2 coarse sand (zone-III) erived from natural sources : 4 graded stone aggregate 20mm nominal size derived from natural sources(Rate including GST).   | 23.44         | Sqm                       |
| 12.               | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level, 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources). (Rate including GST).   | 2.88          | Cum                       |
| 13.               | 40 mm thick fine dressed Red sand stone flooring over 20 mm (average) thick base of cement mortar 1:5 (1 cement : 5 coarse sand), including pointing with cement mortar 1:2 (1 cement : 2 stone dust) with an admixture of pigment to match the shade of stone. (Rate Including GST)   | nce encurated | gist<br>grosqm<br>I India |

| Sqm  | 10.78                            | Providing and fixing of 70to 100mm thick PUF water proof wall pannel having both side finsihed with white coated sheet including all installation and shifting material etc complete. (Rate Including GST).   |     |
|------|----------------------------------|---|-----|
| Sqm  | 84.50                            | Providing and fixing of 50mm thick PUF water proof roof parier flaving both side having cloured coated corrugated sheet and bottom with white clour coated sheet including all installation and shifting material etc complete.   | 5.  |
| Each | 2.00                             | Pressed Steel profile frame with PUF panel Doors shall be provided in prefab i tructure as per the given sizes. Frame shall be made from PUF insulated door 50 mm with 50x50x5mm MS frame of size 900X2100 mm outer dimension. The door internal shutter will be made up of Panel covered with Aluminium Lipping all around. Each door shall be provided with ISI marked Aluminium fittings such as 1 nos. sliding door bolt of 300mm, 2 nos D Shaped handles of 150 mm, 1 nos Tower bolt of size 300mm, 1 Nos Tower Bolt of Size 100 mm. The door shutter shall be fixed to the frame using 4 nos steel hinges etc complete. (Rate Including GST). | 6.  |
| Each | 8.00                             | The window frame of size 900X1200 mm will be manufacted using suitable 00mm UPVC Hollow sections/profile. The window shall be provide with 6mm thick glass fixed from outside and vertical sliding from inside. Frame shall be made from 50 mm with 50x50x5mm MS Each window shall be provided with ISI marked UPVC fittings such as 8 nos. sliding window bolt of 300mm, 8 nos D Shaped handles of 150 mm, and 8 sash lock. The window shall be extended 300 mm for counter supported by angles and having jalli of 10mm square bar with 100mm c/c as per direction etc  | 17. |
| Cum  | 1.59                             | Red sand Stone work ashlar sunk or moulded or sunk and moulded upto floor five level in cement mortar 1:6 (1 cement : 6 coarse sand) including pointing with white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade. (Rate Including   | 18. |
| Sqm  | 18.24                            | Providing and fixing Red sand stone jali 40 mm thick throughout in cement mortar 1:3 (1 cement : 3 coarse sand), including pointing in white cement mortar 1:2(1white cement : 2 stone dust) with an admixture of pigment, matching the stone shade, jali slab without any chamfers etc. (Rate Including GST).  | 19. |
| Sqn  | 40.60                            | 40 mm thick Stone work (machine cut edges) for wall lining etc. (veheer work) up to 10 metre height, backing filled with a grout of average 12 mm thick cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an ad mixture of pigment matching the stone shade : (To be secured to the backing and the sides by means of cramps and pins which shall be paid for separately).  | 20. |
| Kg   | 3333.03                          | Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works"(Rate Including  | 21  |
| RM'  | 29.00<br>कारोलन<br>Office of the | 1' Cand aget iron CSC nineas ner IS' 1/29   | 22  |

|     |   | - T     |                                 |
|-----|---|---------|---------------------------------|
| 23. | Provision of providing three no sets of detailed drawings having Plan, elevation, section with all detailed dimensions and profile of existing and proposed bot for clock room and booking counter at Agra fort(Rate Including GST).  | 1.00    | L.S.                            |
| 24. | Disposal of moorum/building rubbish/ malba/ similar unserviceable, dismantled or waste material by mechanical transport including moading, transporting, unloading to approved municipal dumping ground for lead upto 10 km for all lifts, complete as per directions of Engineer-in-charge. (Rate Including GST).  | 16.23   | Cum                             |
| 25. | Providing and fixing of MS,PUF Prefab PUF Single Compartment Portable Toilet Cabin at booking counter (size 7x5x5 feet). Cabin wall panels are box type (50 mm thick) both sides finish cloured 2.5 mm thick MS Sheet and inside box insulation material PUF (Poly Urethane Foam) will be provided. Cabin will be provided with all necessary electrical and water fitting as required and directed by engineer in charge, Roof moulded & designed in such a way that no water, sand will remain on the outer surface of the cabin. (Rate Including GST). | 1.00    | L.S.                            |
| 26. | Providing and fixing for water utilities and other articles required for execution of work complete. [LS] (Rate Including GST)  1-CPVC Pipe 1/2" (10 ft long) [EACH   | 8       | Nos                             |
|     | 2-CPV¢ Elbow 1/2" [EACH]  | 10      | Nos                             |
|     | 3-CPVC Socket 1/2" [EACH]   | 10      | Nos                             |
|     | 4-CP11VC T 1/2" [EACH]  | 6       | Nos                             |
|     | 5-T Brass G.I. 1/2 " [EACH]   | 1       | Nos                             |
|     | 6-CPVC Solvent 250g [EACH]  | 3       | Nos                             |
|     |   | 1       | Nos                             |
|     | 7-CPVC Cupler Blass 1/2 " [EACH]  | 4       | Nos                             |
|     | 8-Angle cock 1/2" [EACH]  | 6       | Nos                             |
|     | 9-PVC pipe 4" [RMT]   | 3       | Nos                             |
|     | 10-Elbow 4" [EACH]  | 2       | Nos                             |
|     | 11-N trap 4" [EACH]   | 6       | Nos                             |
|     | 12-PVC pipe 3" [RMT]  | 4       | Nos                             |
|     | 13-PVC T 3" [EACH]  | 4       | Nos                             |
|     | 14-PVC Elbow 3" [EACH]  | 2       | Nos                             |
|     | 15-PVC solvent 250g [EACH]  | 10050   | Nos                             |
|     | 16-Clamp 1/2" [EACH]  | अवीक्षण | पुरातस्याबिद्<br>१९ Archaeologi |

Superintending Archaeological भारतीय पुराताच रावेबाण Archaeological Survey of India आगुरा चण्डत्व, आगरा Agra Cirche, Agra

| (     | 7-Ceramic Floor Mounted European Water Closet/Western Toilet Commode/EWC S Trap with Slim Hydraulic Soft Close Seat Cover 54cm x                   | 1        | Nos         |
|-------|--|----------|-------------|
| 3     | 35cm x 41cm - White (Cera /Hindware) [EACH]  | 1        | Nos         |
|       | 18-Flush cistern [EACH]  |          | Nos         |
| 3 2 5 | 19-Triangle L410xW410xH160mm corner  | 1        | NOS         |
| 2     | wash basin [EACH] 20-Mirror with screw etc. complete   | 1        | Nos         |
|       | EACH]  |          | Nos         |
| 2     | 21-Waste pipe [EACH]   | 2        |             |
|       | 22-wall mound bib cock [EACH]  | 2        | Nos         |
| 1     | 23-Ceramic Urinal Pot for Gents (White)  | 2        | Nos         |
|       |  | 4        | Nos         |
|       | 24-Angle valve 1/2" [EACH]   |          | Nos         |
|       | 25-PVC pipe 6' dia pressure rating -6kgf/cm2 IS/ISO 9001 : 2008 [RMT]  | 25       | 1100        |
| F     | 254 ve pipe o dia pressare rating enginerna remas est a activity   | 6        | Nos         |
|       | 26-PVC Elbow 6" [EACH]   | 0        |             |
|       |  | 6        | Nos         |
|       | 27-PVC Socket 6" [EACH]  |          | Nos         |
|       | 28-Plug [EACH]   | 10       |             |
|       | Tiglet Floor [FACH]  | 4        | Nos         |
|       | 29-Stainless Steel 5" Jali/Trap Floor Drain Grating for Tiolet Floor [EACH]  |          | Nos         |
|       | 30-water tank 500 ltr [EACH]   | 2        | 1,00        |
|       | 31-Cast iron Manhole Cover Drainage Cover   Chamber Cover of size  | 2        | Nos         |
|       | 0.45x0.45m. [EACH]   |          | Job         |
|       | 32-Labour charges for fitting & smallmaterials etc. [EACH]   | 1        | "           |
|       | Providing and fitting Electric items required for execution of work complete. (Rate Including GST.)  1-LED tube Light complete set 20 watt. [EACH] | 6        | Nos         |
| -     | 2-PVC Elbow , socket and corner 1"   | 50       | Nos.        |
|       | [EACH] 3-PVC betten 1" (10ft lenth) [EACH]   | 20       | Nos.        |
|       | 4-Copper wire 1.00 sq mm [EACH]  | 1        | Nos.        |
|       | 5-Copper wire 1.50 sq mm [EACH]  | 1        | Nos.        |
|       | 6-Copper wire 2.50 sq mm [EACH]  | 1        | Nos.        |
|       | 7-6 Sq mm 2 Core Copper ArmouredCable [EACH]   | 1        | Nos.        |
|       | 8-MCB 32 Amp. [EACH]   | 6        | Nos.        |
|       | 9-Modular Switch 5 Amp [EACH]  | 20       | Nos.        |
|       | 10-Modular Socket 5 Amp. [EACH]  | 5        | Nos.        |
|       | 11-Modular Switch 15 Amp. [EACH]   | 3        | Nos.        |
|       | 12-Modular Socket 15 Amp. [EACH]   | 3        | Nos.        |
|       | 13-Ceiling Fan [EACH]  | 2        | Nos.        |
|       |  | A office | on distance |
|       | 14-Havells Ventil Air DX 200mm ExhaustFan (White) [EACH]   | 4.0      | CE ONOS.    |

|  | 2  | Nos. |
|--|----|------|
| 16-Regulator for fan [EACH]  | 6  | Nos. |
| 17-Holder [EACH]   | 2  | Nos. |
| 18-Celling box [EACH]  | 1  | Nos. |
| 19-Screw 2 inch [EACH]   | 2  | Nos. |
| 20-Round sheet for fan box [EACH]  | 10 | Nos. |
| 21-Round sheet [EACH]  | 1  | Nos. |
| 22-MCB Box 6v. [EACH]  | 4  | Nos. |
| 23-Tape [EACH]   | 1  | Nos. |
| 24-6x4'. Box with sheet complete [EACH]  | 3  | Nos. |
| 25-9x12". Box with sheet complete[EACH]  | 3  | Nos. |
| 26-Junction box [EACH]   | 20 | Nos. |
| 27-casing patti 1.5" [EACH]  | 20 | Nos. |
| 28-Bend [EACH] 29-Labour charges for fitting & small materials as gulli, juction, tape, button etc. [LS] | 1  | Job  |

## **Evaluation Criteria**

1- All documents to be uploaded in CPPP portal properly.

2- This is not an item wise bid. The L1 will be selected depending upon the overall lowest

bid of all the items.

3- The bidders are requested to visit the site and examine the requirement and its rate accordingly before quoting the rate in Online BOQ. If the Quoted rate is obvious Vague (Extremely High or Extremely Low) the Same will not be considered and will be rejected at Financial Stage.

Superintending Archaeologist

कार्यालय Office of the achien gamente Superintending Anchaeologist भारतीय पुराताता आवैदाण Archaeological Survey of India आगरा मण्डला, अगारत Agra Circle, Agra

#### TERMS AND CONDITION FOR SUBMISSION OF TENDER

- 1. Tenders are hereby invited on behalf of the President of India. for the work under Tender cost of RS. 28,44,227/- (Rs. TWENTY EIGHT LAKHS FORTY FOUR THOUSAND TWO HUNDRED TWENTY SEVEN ONLY)
- Tender document consisting of the detailed plans, complete specifications, the schedule of quantities of the various items of work to be done, and the set of conditions of contract to be complied with by the person whose tenders may be accepted. The tender forms can be downloaded from our website. WWW.asiagracircle.in and eportal eprocure gov.in from 09/08/2022 to 30/08/2022.
- 2 (a) The site of the work is available, or the site for the work shall be made available by the department.
- 1. The Contractors should upload their tender documents online only at CPPP website: https://eprocure.gov.in/eprocure/app upto 15:00 hours of 30/08/2022 which will be opened on dated 31/08/2022 at 15:30 hours.
- The time allowed for the work will be 150days which will be reckoned after fifteen days from the date of issue of order to commence work
- 3. The contractors should quote in figures as well as in words the rate and amount tendered by them. The amount for each item should be worked out and the requisite totals
- 4. When the contractors signs a tender in an Indian Language the percentage above or below and the tendered amount in case of CPWD form No.7 and the total amount tender in the case of CPWD form No.7 and total amount tendered in the case of CPWD form No.8 and should also be written in the same language. In a case of illiterate contractors the rates or the amounts tendered should by attested by a witness.
- 5. Issue of tender form will be stopped one days before the date fixed for opening of tender.
- 6. Earnest money amounting of RS. 71,106/- (SEVENTY ONE THOUSAND ONE HUNDRED SIX ONLY)
- (unless exempted) in deposit at call received/FDR of scheduled bank guaranteed by the Reserve Bank of India must accompany each tender.
- The contractor whose tender is accepted (unless exempted ) will be required to furnish by way of security deposit for the due fulfillment of his contract
- In the case of works costing upto Rs. 1,00,000/- to 10% of the tender cost of work put to tender.
- In the case of works costing more than Rs.1,00,000/- and upto 2,00,000/- to 10% on the first Rs.1,00,000/- and 7 % on the balance
- III) In the case of works costing more than Rs.2,00,000/-, 10% on the first Rs.1,00,000/-, 7 % on the next Rs. 1,00,000/- and 5% on the balance amount
- 8. The security amount will be deposited by contractor in the form of FDR/CDR of any Bank RBI pledged to the Superintending Archaeologist, Archaeological Survey of India, Agra Circle, Agra. Earnest money deposited at the time of tender, will be treated as a part of the security deposit. The security amount will also be accepted in the shape of Government securities. Fixed deposit receipt of schedule banks will be accepted for this purpose provided confirmatory advise is forthcoming from the Reserve
- 9. The right of acceptate of a tender will be with SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA.
- AGRA CIRCLE, AGRA who does not bind himself to accept the lowest tender and reserves to himself the authority to reject any or all of the tenders received without assignment of a reason. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected.
- 10. Canvassing in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to Canvassing will be liable to rejection
- 11. All rates shall be gupted on the proper form of the tender alone.
- 12. The criteria for approval of the lowest tender is over all lowest one against the total cost of the tender amount of all tenders.
- 13. On acceptance of tile tender, the name of the accredited representative(s) of the contractor who would be responsible for taking instructions from the Engineer in charge shall be communicated to the Engineer in charge.
- 14-Special care should be taken to write the rates in figures as well as in words and the amounts in figures only, in such a way that interposition is not possible. The total amount should be written both in figures and words. The case of figures, the word Rs. should be written before rupees and word (P) after the decimal figures e.g. 2.15 p and case of words the word (Rupees) should proceed and the word 'only' it should in variably upto decimal places. While quoting the area in the schedule of quantities the word only should be written dosely following the amount and it should not be written closely following the amount and it should not be written in the next line
- 15. The President of India does not bind himself to accept the lowest or any tender and reserves to himself the right of accepting the whole or any part of the tender and tenderer shall be bound to perform the same at the rates quoted.
- 16. GST or any other of material in respect of this contracts shall be payable by the contractor and Government will not entertain any claim whatsoever in this respect
- 17. The Contractor shall not be permitted to tender for works in the ASI circle (responsible for award and supply of the contracts) in which his near relative is posted as an officer in any capacity between the grades of Superintending Engineer and Assistant (both inclusive). He shall also intimate the names of persons who are working with him in capacity or are subsequently employed by him and who are near relatives to any Gazetted officer in ASI or in the Ministry of Tourism and Culture by the contractor should render him liable to be removed from the approved list of contractors of this Department.
- 18. The tender of works shall remain valid for a period of 120 days from the date of opening of tenders. If any tender withdraws his tender before the said period or make any modifications in the terms and conditions of the tender, which are not acceptable to the department. Then the Government shall forfeit 100% of the said earnest money absolutely.
- 19. Contractors exempted from payment of Earnest money and Security Deposit in individual cases should attach with the tender an attested Copy of Competent authorities
- letter exempting them from the payment of Earnest Money and Security Deposit and should produce the original whenever called upon to do so.

  20.The tender for the work shall not be witnessed by a contractor or contractors who himself/themselves has /have tendered or who may and has /have rendered for the same work. Failure to observe this condition would render of the contractors tendering as well as witnessing the tender liable to summary rejection.

21. The copy of upIdaded document should be submitted to this office along with the EMD and tenders fee before opening of tender.

Should this tender be accepted, I/we hereby agree abide by and fulfil all the terms and provisions of the said conditions annexed hereto so far as applicable and or in detail thereof to forfeit and pay to the President of India or his successor in office the sum of money mentioned in the said conditions.

A sum of Rs. (Rupees is herewith forwarded in F.D.R. vide No. dated as earnest money and a sum of Rs. ..) in the form of DD. If I /we fails to commence the work as specified in the above memorandum or is I/we fail to deposit the amount of security deposit specified against (ii) a in the above memorandum in accordance with the clause I of the said conditions of contract. I/we agree that the said President of India or his successor in office shall/without prejudice to any other right or remedy, shall be retained by him towards such security deposit. I/we further agree that the said President of India or his successor in office shall also be at liberty to cancel the acceptance of the tender if I / we fail to deposit security amount as aforesaid

: Mob. No. :--

SIGNATURE AND ADDRESS OF CONTRACTOR

PAN No. ---: Phone No.-Signature & address of witness to signature of tenderer.

The above tender is he eby accepted by me on behalf of the President of India Dated

Signature of the officer by whom THE TENDER IS ACCIPTED

कार्यालय Office of the अधीक्षण पुरातत्वविद् Superintendials Anchée designists भारतीय-चुनतियं सर्वेक्षणा Archaeological Survey of Indian आगरावण्डल, आगरा Agra Gode, Agras



#### FILE NO-03/AGF/16/2022-2023/W **GOVERNMENT OF INDIA** OFFICE OF SUPERINTENDING ARCHAEOLOGIST ARCHAEOLOGICAL SURVEY OF INDIA AGRA CIRCLE, THE 22 MALL ROAD, AGRA

NAME & ADDRESS OF CONTRACTOR

DATE OF OPENING: 31/08/2022at 15.30 Hrs.TENDER DOWNLOADED TILL 30/08/2022at 15.00 Hrs. NAME OF WORK: PROVIDING NEW BOOKING COUNTER AND CLOAK ROOM INCLUDING SHIFTING OLD BOOKING AT AGRA FORT, AGRA

I/We hereby tender for the President of India of the materials described in the under mentioned memorandum according to the specification within the times specified and at the rates specified therein subject to the conditions to the contractor: -

#### **MEMORANDUM**

- (I) EARNEST MONEY RS. 71,106/- (SEVENTY ONE THOUSAND ONE HUNDRED SIX ONLY)
- (II) SECURITY DEPOSIT Rs. 1,49,211.00 (Rs. ONE LAKH FORTY NINE THOUSAND TWO HUNDRED ELEVEN) ONLY.
- (III) PAYABLE IMMEDIATELY ON THE ACCEPTANCE OF THE TENDER (INCLUDING EARNEST MONEY DEPOSITED WITH THE TENDER) ---
- (IV) PERCENTAGE TO BE DEDUCTED FROM BILL: Income tax and other taxes as applicable by the government
- (V) PLACE OF WORK- AGRA FORT, AGRA

| SI.<br>NO<br>1. | Description of execution of work  | Quar    | ntity        | Rate<br>(in<br>words)   | Tota<br>amount<br>(in words) |
|-----------------|---|---------|--------------|---|------------------------------|
|                 | Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead. (Rate Including GST).  | 225.05  | Sqm          | Words   | (m words)                    |
| 2.              | Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 meter lead. (Rate Including GST).   | 51.75   | Sqm          |   |                              |
| 3.              | Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including ismembering and stacking within 50 metres lead. (Rate Including GST)   | 3481.82 | Kgs          |   |                              |
| ١.              | disposal of material within 50 meters lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix). (Rate Including GST).  | 16.23   | Cum          |   |                              |
| i.              | Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead. (Rate Including GST).  | 11.00   | Nos.         |   |                              |
| 3.              | Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. and refixing at other location with in 150mt".(Rate Including GST)   | 975.31  | Kg           |   |                              |
| 7.              | Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil asdirected, within a lead of 50 m. All kinds of soil. (Rate Including GST). | 30.48   | Cum          |   |                              |
| 3.              | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and liftupto 1.5 m. (Rate Including GST).  | 54.13   | Cum          |   |                              |
| ).              | Providing and laying in position cement concrete 1:3:6 (1Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size). of specified grade excluding the cost of centering and shuttering, as per direction of Engineerincharge. (Rate Including GST).  | 47.17   | Cum          |   |                              |
| 10.             | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in Cement mortar 1:4 (1 cement : 4 coarse sand). (Rate Including GST).  | 21.85   | Cum          |   |                              |
| 1.              | Providing and laying damp-proof course 50mm thick with cement concrete 1:2:4 (1 cement : 2 coarse sand (zone-III) erived from natural sources : 4 graded stone aggregate 20mm nominal size derived from natural sources. (Rate Including GST).  | 23.44   | Sam<br>आरतीय | श्रेयोत्स्य<br>Se of the<br>I श्रुयातस्यति<br>ling Archae<br>(श्रम्याच्या स्थ | Maniet                       |
| 2.              | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level, 1:2:4 (1  | 2.88    | Gum 1        | al Survey o   | f India                      |

| S    | ement: 2 coarse sand (zone-III) derived from natural sources: 4 graded tone aggregate 20 mm nominal size derived from natural sources). (Rate   |            |   |
|------|---|------------|---|
| 1    | mcluding GST).  10 mm thick fine dressed Red sand stone flooring over 20 mm (average) hick base of cement mortar 1:5 (1 cement : 5 coarse sand), including pointing with cement mortar 1:2 (1 cement : 2 stone dust) with an admixture pointing with cement mortar 1:2 (1 cement : 2 stone dust) with an admixture  | 427.75     | Sqm   |
| 1000 | of pigment to match the shade of stone. (Rate Including GST).  Providing and fixing of 70to 100mm thick PUF water proof wall pannel having  |            |   |
|      | both side finsihed with white coated sneet including all installation and sharp potential (Pete Including GST)  | 110.78     | Sqm   |
|      | Providing and fixing of 50mm thick PUF water proof foot parter having some side having cloured coated corrugated sheet and bottom with white clour coated sheet including all installation and shifting material etc complete.  | 84.50      | Sqm   |
| S.   | Pressed Steel profile frame with PUF panel Doors shall be provided in prelab tructure as per the given sizes. Frame shall be made from PUF insulated door 50 mm with 50x50x5mm MS frame of size 900X2100 mm outer dimension. The door internal shutter will be made up of Panel covered with Aluminium Lipping all around. Each door shall be provided with ISI marked Aluminium fittings such as 1 nos. sliding door bolt of 300mm, 2 nos D Shaped handles of 150 mm, 1 nos Tower bolt of size 300mm, 1 Nos Tower Bolt of Size 100 mm. The door shutter shall be fixed to the frame using 4 nos steel  | 2.00       | Each  |
| 7.   | hinges etc complete. (Rate Including GST).  The window frame of size 900X1200 mm will be manufactred using suitable 00mm UPVC Hollow sections/profile. The window shall be provide with 6mm thick glass fixed from outside and vertical sliding from inside. Frame shall be made from 50 mm with 50x50x5mm MS Each window shall be provided with ISI marked UPVC fittings such as 8 nos. sliding window bolt of 300mm, 8 nos D Shaped handles of 150 mm, and 8 sash lock. The window shall be extended 300 mm for counter supported by angles and having jalli of 10mm square bar with 100mm c/c as per direction etc complete. (Rate Including | 8.00       | Each  |
| 18.  | Red sand Stone work ashlar sunk or moulded or sunk and moulded upto floor five level in cement mortar 1:6 (1 cement : 6 coarse sand) including pointing with white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade. (Rate Including GST).   | 1 50       | Cum   |
| 19.  | Providing and fixing Red sand stone jall 40 mm thick throughout in cement mortar 1:3 (1 cement : 3 coarse sand), including pointing in white cement mortar1:2(1) white cement : 2 stone dust) with an admixture of pigment, matching the stone shade, jali slab without any chamfers etc. (Rate   | 18.24      | Sqm   |
| 20.  | Including GST).  40 mm thick Stone work (machine cut edges) for wall lining etc. (veneer work) up to 10 metre height, backing filled with a grout of average 12 mm thick cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an ad mixture of pigment matching the stone shade : (To be secured to the backing and the sides by means of cramps and pins which shall be paid for separately)  | 40.60      | Sqm   |
| 21.  | (Rate Including GST).  Steel work welded in built up sections/ framed work, including cutting hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar ladder, railings, brackets, gates and similar works"(Rate Including GST).   | 3359.69    | Kg.   |
| 22.  | Providing and fixing 100 mm dia Sand cast iron 5&5 pipeas per 15. 1725  |            | RMT.  |
| 23.  | Provision of providing three no sets of detailed drawings having Plantelevation section with all detailed dimensions and profile of existing and proposed bot for clock room and booking counter at Agra fort. (Rat   | 1.00       | L.S.  |
| 24.  | " "I-line subbish malha similar unservicedule   | 16.23<br>e | भारतीय पुरासका सर्वेदाण<br>Archaeological Survey of India |

| Providing and fixing of MS, PUF Prefab PUF Single Compartment Portable Toilet Cabin at booking counter (size 7x5x5 feet). Cabin wall panels are box type (50 mm thick) both sides finish aloured 2.5 mm thick.   |      |   |
|--|------|---|
| type (50 mm thick) both sides finish cloured 2.5 mm thick MS Sheet and inside box insulation material PUF (Poly Urethane Foam) will be provided. Cabin will be provided with all necessary electrical and water fitting as required and directed by engineer in charge, Roof moulded & designed in such a way that no water, sand will remain on the outer surface of the cabin. (Rate Inc uding GST). | 1.00 | L.S.  |
| Providing and fixing for water utilities and other articles required for execution of work complete. [LS] (Rate Including GST)  1-CPVC Pipe 1/2" (10 ft long) [EACH  | 8    | Nos   |
| 2-CPVC Elbow 1/2" [EACH]   | 10   | Nos   |
| 3-CPVC Spcket 1/2" [EACH]  | 10   | Nos   |
| 4-CP11V0 T 1/2" [EACH]   | 6    | Nos   |
| 5-T Brass G.I. 1/2 " [EACH]  | 1    | Nos   |
| 6-CPVC Solvent 250g [EACH]   | 3    | Nos   |
| 7-CPVC Cupler Blass 1/2 " [EACH]   | 1    | Nos   |
| 8-Angle cock 1/2" [EACH]   | 4    | Nos   |
| 9-PVC pipe 4" [RMT]  | 6    | Nos   |
| 10-Elbow 4" [EACH]   | 3    | Nos   |
| 11-N trap #" [EACH]  | 2    | Nos   |
| 12-PVC pipe 3" [RMT]   | 6    | Nos   |
| 13-PVC T 3" [EACH]   | 4    | Nos   |
| 14-PVC Elbow 3" [EACH]   | 4    | Nos   |
| 15-PVC solvent 250g [EACH]   | 2    | Nos   |
| 16-Clamp 1/2" [EACH]   | 100  | Nos   |
| 17-Ceramic Floor Mounted European Water Closet/Western Toilet Commode/EWC S Trap with Slim Hydraulic Soft Close Seat Cover 54cm x 35cm x 41cm - White (Cera /Hindware) [EACH]  | 1    | Nos   |
| 18-Flush distern [EACH]  | 1    | Nos   |
| 19-Triangle L410xW410xH160mm corner wash basin [EACH]  | 1    | Nos   |
| 20-Mirror with screw etc. complete [EACH]  | 1    | Nos   |
| 21-Waste pipe [EACH]   | 2    | Nos   |
| 22-wall mound bib cock [EACH]  | 2    | Nos   |
| 23-Ceramic Urinal Pot for Gents (White) [EACH]   | 2    | Nos   |
| 24-Angle valve 1/2" [EACH]   | 4    | Nositive Greening   |
| 25-PVC pipe 6' dia pressure rating -6kgf/cm2 IS/ISO 9001 : 2008 [RMT]  | 25   | Superintending/Areta-relegiate  **INOS**  Archaeological Supery/artifaction |
| 26-PVC E bow 6" [EACH]   | 6    | NOS! Total, surreil   |

| 27-PVC Socket 6" [EACH]   | 6  | Nos  |  |
|---|----|------|--|
| 28-Plug [EACH]  | 10 | Nos  |  |
| 29-Stainless Steel 5" Jali/Trap Floor Drain Grating for Tiolet Floor [EACH]   | 4  | Nos  |  |
| 30-water fank 500 ltr (FACH)  | 2  | Nos  |  |
| 31-Cast iron Manhole Cover Drainage Cover   Chamber Cover of size 0.45x0.45m. [EACH]  | 2  | Nos  |  |
| 32-Labour charges for fitting & small materials etc. [EACH]   | 1  | Job  |  |
| Providing and fitting Electric items required for execution of work complete. (Rate Including GST.)  1-LED tube Light complete set 20 watt. [EACH]  2-PVC Elbow, socket and corner 1" | 6  | Nos. |  |
| [EACH] 3-PVC betten 1" (10ft lenth) [EACH]  | 50 | Nos. |  |
| 4-Copper wire 1.00 sq mm [EACH]   | 20 | Nos. |  |
| 5-Copper wire 1.50 sq mm [EACH]   | 1  | Nos. |  |
| 6-Copper Wire 2.50 sq mm [EACH]   | 1  | Nos. |  |
| 7-6 Sq mm 2 Core Copper Armoured Cable [EACH]   | 1  | Nos. |  |
| 8-MCB 32 Amp. [EACH]  | 1  | Nos. |  |
| 9-Modular Switch 5 Amp [EACH]   | 6  | Nos. |  |
| 10-Modular Socket 5 Amp. [EACH]   | 20 | Nos. |  |
| 11-Modular Switch 15 Amp. [EACH]  | 5  | Nos. |  |
| 12-Modular Socket 15 Amp. [EACH]  | 3  | Nos. |  |
| 13-Ceiling Fan [EACH]   | 3  | Nos. |  |
| 14-Havells Ventil Air DX 200mm ExhaustFan (White) [EACH]  | 2  | Nos. |  |
| 15-LED bulb 9 watt [EACH]   | 4  | Nos. |  |
| 16-Regulator for fan [EACH]   | 6  | Nos. |  |
| 17-Holder [EACH]  | 2  | Nos. |  |
| 18-Celling box [EACH]   | 6  | Nos. |  |
| 19-Screw 2 inch [EACH]  | 2  | Nos. |  |
| 20-Round sheet for fan box [EACH]   | 1  | Nos. |  |
| 21-Round sheet [EACH]   | 2  | Nos. |  |
| 22-MCB Box 6v. [EACH]   | 10 | Nos. |  |
| 23-Tape [#ACH]  | 1  | Nos. |  |
| 24-6x4". Box with sheet complete [EACH]   | 4  | Nos. |  |
| 25-9x12". Box with sheet complete[EACH]   | 1  | Nos. |  |
| 26-Junction box [EACH]  | 3  | Nos. |  |
| 27-casing patti 1.5" [EACH]   | 3  | Nos. |  |
| 8-Bend [EACH]   | 20 | Nos. |  |
| 9-Labour charges for fitting & small materials as gulli, juction, tape, button  | 20 | Nos. |  |
| etc. [LS]   | 1  | Job  |  |

SIGNATURE OF CONTRACTOR

# TECHNICAL ELIGIBILITY CRETERIA

## ELIGIBILITY CERTIFICATES TO BE ENCLOSED BY THE COMPANY/ FIRM/ AGENCY/ CONTRACTOR

The tendering for execution of work Company/Firm/Agency/Contractor should submit the

following documents (self-attested conv.)

| \$I.<br>NO. |  | RELEVENT<br>DOCUMENT TO BE<br>PROVIDED   | Enclosed<br>Yes/No | PAGE NO. O<br>Bid<br>Document |
|-------------|--|--|--------------------|-------------------------------|
| 2.          | The firm/Agency should have registration in ASI / any central Government department for civil work.  | Copy of Registration certificate to be provided  | Yes/No             | Manual                        |
| 3.          | The Firm/ Agency/ Contractor should be registered with GST.  | Copy of Registration<br>Certificate to be<br>provided  | Yes/No             |                               |
|             | The Firm/Agency should have Income Tax Return for three financial year 2018-2019, 2019-2020 and 2020-2021 (A.Y. 2019-2020, 2020-2021 & 2021-2022).   | Copy of I.T.R for financial year 2018-2019, 2019-2020 and 2020-2021 (A.Y. 2019-2020, 2020-2021 & 2021-2022). | Yes/No             |                               |
| 4.<br>5.    | Pan Card   | Copy of Pan Card should be provided  | Yes/No             |                               |
| S.          | The firm/agency should have average annual financial turnover for three financial year (2018-2019, 2019-2020 and 2020-2021), should be at least 30% of the tender cost i.e. Rs. 8,53,268/ A certificate in this regard issued by the CA has to be submitted.   | Copy to be provided.   | Yes/No             |                               |
| ;<br>;<br>1 | The firm / agency should have experience for completion of at least three similar nature of work costing not less than 40% of the tender cost i.e. 11,37,691/- OR Two Similar Nature of works Costing not less than 50% of the tender cost i.e. Rs. 14,22,114/- OR One Similar Nature of work costing not less than 80% of the tender cost i.e. Rs. 22,75,382/ and those work/works should have been completed during the last seven financial years. i.e. 2015-2016 to 2021-2022. | Copy of work order<br>and its completion<br>certificate to be<br>provided                                    | Yes/No             |                               |
| (           | or blu security Declaration Certificate,   | Copy to be provided.   | Yes/No             |                               |
|             | Tender acceptance Letter on letter head and Opeclaration Certificate of black listing.   | Copy to be provided.   | Yes/No             |                               |

1. Those Bidders who have not mentioned page number against the above point 1-8 in the column of PAGE NO. Of Bid Document will not be evaluated and rejected in Technical Stage.

2. The bidders are requested to enclose only required documents.

3. For experience against Para 6 both work order and its completion certificate is mandatory. The copy of work order without completion certificate and Completion Certificate without Copy of Work Order will not be considerd. Office of the

अंधीकण पुरातत्वविद् Sublintending Archaeologist भारतेय प्रातत्य सर्वक्षण

AUTHORISED SIGNATORY AgraCircle, Agra

# INSTRUCTIONS FOR ONLINE BID SUBMISSION

The Bidders are required to submit soft copies of their Bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the Bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their Bids online on the CPP Portal. More information useful for submitting online Bids on the CPP Portal may be obtained at: https://eprocure.gov.in/eprocure/app.

required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL: REGISTRATION https://eprocute.gov.in/eprocure/app) by clicking on the link "Online Bidder Enrolment" on the CPP Portal which is free of charge. As part of the enrolment process, the Bidders will be required to choose a unique username and assign a password for their accounts.

Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used

for any communication from the CPP Portal. Upon enrolment, the Bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / NCode / EMudhra etc.), with their profile. Only one valid DSC should be registered by a Bidder. Please note that the Bidders are responsible to ensure that they do not lend their

5)

Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token. DSC's to others which may lead to misuse.

SEARCHING FOR TENDER DOCUMENTS

There are various search options built in the CPP Portal, to facilitate Bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the Bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.

Once the Bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the Bidders through

SMS / e-mail in case there is any corrigendum issued to the tender document. The Bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

Bidder should take into account any corrigendum published on the tender document before submitting their Bids.

Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the Bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the dames and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of

Bidder, in advance, should get ready the Bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which 3)

helps in reducing size of the scanned document.

To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every Bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the Bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a Bid, and need not be uploaded again and again. This will lead to a reduction in the time required for Bid submission process.

SUBMISSION OF BIDS

Bidder should log into the site well in advance for bid submission so that they can upload the Bid in time i.e. on or before the Bid submission time. Bidder will be responsible for any delay due to other issues.

The Bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document. Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.

Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given 3) in person to the concerned official, latest by the last date of Bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during Bid submission time. Otherwise the uploaded bid will be rejected.

Bidders are requested to note that they should necessarily submit their financial Bids in the format provided and no other format is acceptable. If the price Bid has been given as a standard BOQ format with the tender document, then the same is to be downloaded and to be filled by all the Bidders. Bidders are required to download the BOQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the Bidder). No other cells should be changed. Once the details have been completed, the Bidder should save it and submit it online, without changing the filename. If the BOQ file is found to

be modified by the Bidder, the Bid will be rejected.

The server time (which is displayed on the Bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the Bids by the Bidders, opening of Bids etc. The Bidders should follow this time during Bid submission. 6)

All the documents being submitted by the Bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of Bid opening. The confidentiality of the Bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any Bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/Bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized Bid openers.

The uploaded lender documents become readable only after the tender opening by the authorized Bid openers. 8)

Upon the successful and timely submission of Bids (I e after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful Big submission message & a Big summary will be displayed with the Big no. and the date & time of submission of the Big with all other relevant details. The Bid summary has to be printed and kept as an acknowledgement of the submission of the Bid. This acknowledgement may be used

as an entry pass for any Bid opening meetings.

ASSISTANCE TO BIDDERS

Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the render Inviting arthurn gan Authority for a tender or the relevant contact person indicated in the tender.

Any queries relating to the process of online Bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal He pdesk Mobile Number - +91 8826246593 Tel: The 24 x 7 Help Desk Number 0120-4200462, 0120-4001002 2)

Archaeological Stunyey of India आगरा मण्डला, आमास Agra Cirole, Agra

कार्यालय

# TENDER ACCEPTANCE LETTER (To be given on Company Letter Head)

Date:

To.

SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, The 23, Mall Road, Agra Circle, Agra

SUB: ACCEPTANCE OF TERMS & CONDITIONS OF TENDER.

TENDER REFERENCE NO: 03/AGF/16/2022-2023/W (PIN CODE 282001)

NAME OF TENDER / WORK: - PROVIDING NEW BOOKING COUNTER AND CLOAK ROOM INCLUDING SHIFTING OLD BOOKING AT AGRA FORT, AGRA Dear Sir.

1. I/ We have downloaded / obtained the tender document(s) for the above mentioned 'Tender/Work' from the web site(s) namely: for the work of PROVIDING NEW BOOKING COUNTER AND CLOAK ROOM INCLUDING SHIFTING OLD BOOKING AT AGRA FORT, AGRA.

2. If We hereby certify that I / we have read the entire terms and conditions of the tender documents from Page No. -- to --- (including all documents like annexure(s), schedule(s), etc.), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.

3. The corrigendum(s) issued from time to time by your department/ organization to have also been taken into consideration, while submitting this acceptance letter.

- 4. I/ We do hereby declare that our Firm has not been blacklisted/ debarred by any Govt. Department/Public sector undertaking.
- 5. If We certify that all information furnished by our Firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.
- 6. I/ We agree to complete the work after acceptance of the tender.

Yours Faithfully,

(Signature of the Bidder)
with Official Seal
তালে ল লে
আজিল পুনাৰবিষ্
১০০লাকললৈ পুনাৰবিষ্
১০০লাকললৈ পুনাৰবিষ
১০০লাকললৈ প্ৰাৰ্থন

Agra Cindle, Agra

## **DECLARATION**

| 1. | Firm mentioned above is a second signatory of the agency/ |        |    |           |    |      |      |             |     |         |      |        |
|----|---|--------|----|-----------|----|------|------|-------------|-----|---------|------|--------|
|    | Firm mentioned document                                   | above, | is | competent | to | sign | this | declaration | and | execute | this | tender |
| 2  | I have been su  |        |    |           |    |      |      |             |     |         |      |        |

- 2. I have carefully read and understood all the terms and conditions of the tender and undertake to abide by them:
- 3. My agency has not been blacklisted/ debarred from participating in tender by any Ministry, Department of Government of India and Government of India undertaking in the last Three (3) Years as on date of opening of this Tender.
- 4. The information/ documents furnished along with the above application are true and authentic to the best of my knowledge and belief.
- 5. I/ We am/ are well aware of the fact that furnishing of any false information/ fabricated document would lead to rejection of my tender at any stage besides liabilities towards prosecution under appropriate law:

Signature of authorized person Full Name: Seal:

Date: Place:

> कार्यालय Office of the आर्थानमा पुरासन्यविद् Suberintending Archaeologist भारतीय पुशतत्व सर्वक्षण Archaeological Survey of India अस्ति प्रमुख्याः आगरा Agra Circle, Agrae