

# SECTION-1 TABLE — A: TIME AND WORK FRAME

**EXECUTION OF WORK** 

# FOR THE WORK UNDER- STRUCTURAL REPAIRS TO JAFAR KHAN MAUSOLEUM (LAL MASJID), AGRA

MANUAL BIDS SHALL NOT BE ACCEPTED.

CRITICAL DATE SHEET

| 4  | Dilai -                                 | TIL OHLL                           |
|----|---|------------------------------------|
| 1. | Bid Start Date                          | 06/08/2022                         |
| 2. | Bid Document Download / Sale Start Date | 06/08/2022                         |
| 3. | Bid Submission Closing Date             | 27/08/2022at 15:00                 |
| 4. | Technical Bid Opening Date              | 29/08/2022at 15:30                 |
| 5. | Financial Bid Opening Date/Time         | After Opening Technical Bid        |
| 6. | Validity of Bid                         | 120 days from the date of opening. |

Office of the artist of the ar

The Archaeological Survey of India Agra Circle, Agra invites Online Bids in the prescribed form under the double Bid system i.e. technical and Financial Bid for Execution of work STRUCTURAL REPAIRS TO JAFAR KHAN MAUSOLEUM (LAL MASJID), AGRA

1. The system of e-tendering shall be adopted as double Bid. Tender documents may be downloaded from CPPP site <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a> as per the schedule as given in CRITICAL DATE SHEET.

#### 2. Bid Submission:

Applicants/ intending or interested Bidders are invited to submit their online proposal after carefully reading the Request for Proposal (RFP) by providing necessary document and submission of BOQ. Such proposal are to be submitted online within the stipulated date and time as mentioned in the Tender Document and as given in CRITICAL DATE SHEET. Bids shall be submitted online only at CPPP website: <a href="https://eprocure.gov.in/eprocure/app.">https://eprocure.gov.in/eprocure/app.</a>

Bid documents may be scanned with 100 dpi with black and white option which help in reducing size of the scanned document.

#### 3. Earnest Money Deposit:

The Hard Copy of original instruments in respect of cost of earnest money must be deposited to the SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE, 22 MALL ROAD, AGRA on or before Tender opening date/ time as mentioned in critical date sheet.

The offer without EMD will be rejected summarily. EMD is to be supplied by all the bidders except those who are registered with Central Purchase Organization, National Small Industries Corporation (NSIC)/ MSME or Who have submitted Bid Security Declaration.

4. Tender cost Of Tender: RS. 43,02,758/- (Rs. FORTY THREE LAKHS TWO THOUSAND SEVEN HUNDRED FIFTY EIGHT ONLY)

#### -: Contact Details:-

| Contact Person              | SUPERINTENDING ARCHAEOLOGIST                    |
|-----------------------------|---|
|                             | SUPERINTENDING ARCHAEOLOGIST,                   |
| Idress for communication    | ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE, 22 |
| , tadioos foi communication | MALL ROAD,AGRA                                  |
|                             | e-mail – circleagra.asi@gov.in                  |
| Contact No.                 | 0562- 2227261                                   |

कार्यालय Office of the क्रीजन पुरातकविद् Superimenting Anthaeologist भारतीय पुरातक सर्वेकण Archaeological Survey of India आगस मण्डल, आगरा Agra Circle, Agra



#### FILE NO-03/ITD/34/2022-2023/W **GOVERNMENT OF INDIA**

भारत सरकार

Office of the Superintending Archaeologist कार्यालय अधीक्षण पुरातत्वविद् Archaeological Survey of India भारतीय पुरातत्व सर्वेक्षण

Agra Circle, 22 Mall Road, Agra 282001 आगरा मण्डल, 22 माल रोड, आगरा 282001

NOTICE INVITING TENDER निविदा आमंत्रण सूचना

The Superintending Archaeologist, Archaeological Survey of India, Agra Circle, Agra, invites e-tender on the behalf of the President of India, through CPP Portal for the following works as per specification given below under the work STRUCTURAL REPAIRS TO JAFAR KHAN MAUSOLEUM (LAL MASJID), AGRA from the registered contractors of Archaeological Survey of India or any Central Government Department.

अधीक्षण पुरातात्विविद्, भारतीय पुरातत्व सर्वेक्षण आगरा मण्डल, आगरा भारत के राष्ट्रपति की ओर से सी0 पी0 पी0 पोर्टल के माध्यम से कार्य STRUCTURAL REPAIRS TO JAFAR KHAN MAUSOLEUM (LAL MASJID), AGRA हेतु भारतीय पुरातत्व सर्वेक्षण या केंद्र सहकार के किसी विभाग के पंजीकृत ठेकेदारों से ई टेंडर आमंत्रित करता है।

#### Eligibility Criteria: -

पात्रता मापदंड:-

The firm/Agency should have registration in ASI / any Central Government Department for civil works.

20 क. फर्म / एजेंसी का सिविल कार्यों के लिये भारतीय पुरातत्व सर्वेक्षण / केंद्र सरकार के किसी भी विभाग में पंजीकरण होना

3. The firm/Agency should have GST registration.

ख. फर्म / एजेंसी के पास जी० एस० टी० पंजीकरण होना चाहिये।

4. Pan Card.

ग. पेन कार्ड।

The Firm/Agency should have income tax return for three financial year 2018-2019, 2019-2020 and 2020-2021. (A.Y. 2019-2020, 2020-2021, & 2021-2022).

घ. फर्म / एजेंसी को तीन वित्तीय वर्ष 2018—2019, 2019—2020 एवं 2020—2021 (निर्धारण वर्ष 2019—2020, 2020—2021 एवं 2021-2022) का आयकर रिटर्न भरा होना चाहिये।

6. The firm/agency should have average annual financial turnover during three financial year ( 2018-2019, 2019-2020 and 2020-2021), should be at least 30% of the tender cost i.e. Rs. 12,90,827/-. A certificate in this regard issued by the CA has to be submitted.

च. फर्म / एजेंसी के पास 3 वित्तीय वर्षों (2018—2019, 2019—2020 एवं 2020—2021)के दौरान औसत वार्षिक वित्तीय करोबार निविदा राशि का कम से कम 30 प्रतिशत होना चाहिये यानी रु० 12,90,827/- जिसे सी० ए० द्वारा जारी प्रमाण पत्र के रुप में प्रस्तुत करना

- 7. The firm / agency should have experience for completion at least three similar nature of work at at Monuments/heritage sites costing not less than 40% of the tender cost i.e. 17,21,103/- OR Two Similar Nature of works Costing not less than 50% of the tender cost i.e. Rs. 21,51,379/- OR One Similar Nature of work costing not less than 80% of the tender cost i.e. Rs. 34,42,206/-. And that/those work/works should have been completed during the last seven financial years. i.e. 2015-2016 to 2021-2022.
- छ. फर्म /एजेंसी को समान प्रकृति के तीन कार्य निविदा राशि से 40 प्रतिशत से कम नहीं यानी रु० 17,21,103/- या दो समान प्रकृति का काम, निविदा राशि का 50 प्रतिशत से कम नहीं यानी रु० 21,51,379/- या एक समान प्रकृति का काम निविदा राशि का 80 प्रतिशत से कम नहीं यानी रु० 34,42,206/- का होना चाहिये और उन तीन कामों को पिछले सात वित्तीय वर्शों के दौरान पूरा किया जाना चाहिये यानी 2015—2016 से 2021—2022 के मध्य।

8. Copy of work order and completion certificate should be uploaded on CPP Portal as per tender

ज. कार्य आदेश और पूर्णता प्रमाण पत्र की प्रतिलिपि आवश्यक निविदा के अनुसार सी० पी० पी० पोर्टल पर अपलोड की जानी विधितियाँ।

अधीक्षण पुरातत्वविद Superintending Archaeologist भारतीय प्रातत्व सर्वक्षण Archaeological Survey of India आगरा मण्डल, आगरा

The eligible Contractors may upload their tender documents online only at CPPP website: <a href="https://procure.gov.in/eprocure/app">https://procure.gov.in/eprocure/app</a>, upto 15:00 hours of 27/08/2022which will be opened on dated 29/08/2022at 15:30

पात्र ठेकेदार केवल सी० पी० पी० वेबसाईट <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a> पर अपने निविदा दस्तावेज विनांक 27/08/2022at 15:30 खोला जाएगा।

TENDER COST RS. 43,02,758/- (Rs. FORTY THREE LAKHS TWO THOUSAND SEVEN HUNDRED FIFTY EIGHT ONLY)

अनुमानित राशि:- 🕫 43,02,758/- (रु० तैंतालीस लाख दो हजार सात सौ अंठावन मात्र)

EARNEST MONEY RS. 1,07,569/- (ONE LAKH SEVEN THOUSAND FIVE HUNDRED SIXTY NINE ONLY) अमानत राशि:— रु० 1,07,569/- (रु० एक लाख सात हजार पाँच सौ उनहत्तर मात्र)

(Exemption as per rules) (नियमानुसार छूट)

The earnest money should be in the form of FDR drawn in favour of the "SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA" Payable at Agra of any scheduled bank guaranteed by the Reserve Bank of India and enclose with the tender.

अमानत गृंशि एफ0 डी0 आर0 के रुप में निविदा के साथ संलग्न होना चाहिए जो "भारतीय रिजर्व बैंक द्वारा समर्थित आगरा के किसी भी अनुसूचित बैंक में अधीक्षण पुरातत्विवद्, भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा के पक्ष में देय हो।

Time allowed for completion of work will be 150 days which will be reckoned after fifteen days from the date of issue of order. Tenders of the contractors who do not deposit earnest money in favour of the SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE in the prescribed form will be liable to be summarily rejected.

कार्य पूरा होने के लिए अनुमत समय 150 दिन होगा जिसे कार्य आदेश जारी होने की तारीख से पंद्रह दिनों के बाद से माना जाएगा। उन ठेकेदारों की निविदाएं निरस्त मानी जाएगी जो अधीक्षण पुरातत्विवद, भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा के पक्ष में निर्धारित राशि जमा नहीं करते हैं।

Conditions and tender forms can be downloaded from our ASI website <a href="www.asiagracircle.in">www.asiagracircle.in</a> and e-portal <a href="eprocure.gov.in">eprocure.gov.in</a>. <a href="www.asiagracircle.in">w.e.f. 06/08/2022 to 27/08/2022upto 15:00</a> hours of each day.

निविदा र्श्नि एवं प्रपत्र हमारी वेबसाईट <u>www.asiagracircle.in</u> और e-portal <u>eprocure.gov.in</u>. से दिनांक **06/08/2022** से दिनांक **27/08/2022upto 15:00** बजे तक डाउनलोड किए जा सकते हैं।

No tender shall be entertained after this deadline under any circumstances what so ever. The Bids of tenders will be opened on 29/08/2022AT 15:30 HRS. in the presence of authorized representative of Bidders as may wish to be personally present.

इस समय सीमा के बाद किसी भी परिस्थिति में कोई भी निविदा पर विचार नहीं किया जाएगा। निविदाओं की तकनीिक बोलियां बोलीदाताओं के अधिकृत प्रतिनिधि की उपस्थिति में या व्यक्तिगत रुप से उपस्थिति में दिनांक 29/08/2022 को 15:30 बजे खोली जाएगी।

Tender documents are available in the ASI website <a href="www.asiagracircle.in">www.asiagracircle.in</a> and e-portal <a href="eprocure.gov.in">eprocure.gov.in</a>. The bidder must attach the copy of EMD should be deposited in ASI, Agra Circle Agra on or before the date of opening the lender.

भारतीय पुरातत्व सर्वेक्षण, आगरा की वेबसाईट <u>www.asiagracircle.in</u> और e-portal <u>eprocure.gov.in</u>. पर निविदा दस्तावेज उपलब्ध हैं। बोली लगाने वाले को तकनीकि निविदा खोलने से पहले भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा में अमानत राशि की प्रति जमा करनी होगी।

The Archaeological Survey of India reserves the right to amend or withdraw any of the terms and conditions contained in the Tender Document or to reject any or all tenders without given any notice or assigning any reason. The decision of the Archaeological Survey of India, in this regard shall be final and binding on all parties in all circumstances.

भारतीय पुरातत्व सर्वेक्षण निविदा दस्तावेज में शामिल किसी भी नियम और शर्तों को संशोधित करने या वापस लेने या किसी भी नोटिस दिए बिना या कोई कारण बताए किसी भी या सभी निविदाओं को अस्वीकार करने का अधिकार सुरक्षित रखता है। इस सम्बंध में भारतीय पुरातत्व सर्वेक्षण का निर्णय सभी परिस्थितियों में सभी पक्षों पर अंतिम और बाध्यकारी होगा।

Office of the
आरीरण पुरातत्वविद्
Superintending Archaeologist
भारतीय पुरातत्व सर्वेक्षण
Archaeological Survey of India आगरा मण्डल, आगरा
Agra Circle, Agra

## NAME OF WORK: STRUCTURAL REPAIRS TO JAFAR KHAN MAUSOLEUM (LAL MASJID), AGRA

| SI. | MASJID), AGRA   |             |     |
|-----|---|-------------|-----|
| No. | Description of Execution of work  | Qty.        |     |
|     | means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift up to 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m (Rate including C.S.T.)   |             | Cum |
| 3.  | cost of centering and shuttering - All work up to plinth level: 1:3:6 (1 Cement: 3 coarse sand (zone-III) derived from natural sources: 6 graded stone aggregate  | 62.42       | Çum |
| 4.  | foundation and plinth in cement mortar 1:6 (1 cement : 6 coarse sand) (Rate   |             |     |
|     | Brick work with common burnt clay modular bricks of class designation 7.5 in foundation plinth and above Plinth in cement mortar 1:6 (1 cement : 6 coarse sand) (Rate including G.S.T.)   | 115.00      | Cum |
|     | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:2:4 (1 cement : 2 coarse sand(zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources) (Rate including G.S.T.)  | 7.29        | Cum |
|     | 40x40x6 mm, M.S. Flat 40x6 mm thick with providing M.S. square bar 10 mm thick including apply of steel primer and painting etc. including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required (Rate including C.S.T.)   | 3220.5<br>6 | Kg  |
|     | 18 mm thick cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) mixed with colour pigment as per original finished rough with sponge. (Rate including G.S.T.)  | 381.48      | Sqm |
|     | Providing & Fixing M.S. Gate having Angle Iron frame 50x50x6 mm thick with M.S. Flat of size 50x6 mm size and providing M.S. square bar 16 mm thick placed at a distance of 10 cm C/C including apply of steel primer and painting etc. including Gate Fixing for supported on R.S. Joists (150x75x5 mm) including cutting, welding, labour & material complete in all respect. (Rate including G.S.T.)   | 581.96      | Kg  |
|     | manufacture. (Rate including G.S.T.)  | 290.72      | Sqm |
| i   | ncluding G.S.T.) (Rate  | 485.65      | Sqm |
| r   | Providing and Fixing Red sand stone Members as Gola Galta, Dab, Curved arch stone, Rassa design pillar, Door frame, Pillar & Bidi work fine dressed on all exposed surface set in 1:1:1 ratio mortar(1 U Lime: 1 C. Sand 1 Surkhi of 1st class bricks) including chiseling out the old and decayed red sand stone same members including supply of all materials labour T &P etc. required for proper completion of work. (Rate including G.S.T.) | 1.80        | Cum |

कार्यात्म्य
Office of the
अगीशण पुरातत्म्विद्
शिक्षांत्रांत्मात्म्य प्रतात्म्विद्
भारतीयः पुरातत्म्य सर्वेसम्य
Archaeological Survey of India

| 12 Recessed pointing with 1:1:1 ratio mortar (1 Lime, 1 Surkhi, 1 Coarse sand) including racking out joints of brick work etc. including materials, labour's, Scaffolding and T&P. etc. complete. (Rate including G.S.T.)  13 Lakhauri brick masonry/underpinning work in wall of required size matching to the site in lime mortar 1:1:1 (1 Lime, 1 Surkhi, 1 Coarse sand) matching to the original including Materials, Labour's, Scaffolding & T&P etc. complete. (Rate including G.S.T.)  14 Providing & fixing of M.S. Jali for window Arches of Jafar khan Mausoleum of required pattern with angle iron frames (40x40x6)mm size, having flat 40x6 mm, 12 mm thick M.S. Square Bar c/c 10 cm and covered with iron mesh Jalie and nut bolts including cutting fabricating welding and applying a priming coat of approved steel primer using structural steel etc. complete. (Rate including G.S.T.)  15 Providing & fixing of M.S. Door for Arches in Jafar khan Mausoleum of required pattern with angle iron for Chaukhat frames (50x50x6)mm size, & door frame (40x40x6 MM) having 12 mm thick M.S. Square Bar c/c 10 cm and covered with iron mesh Jalie including supported for M.S. Flat 40x40x6 mm, and nut bolts including cutting fabricating welding and supported for M.S. Flat 40x40x6 mm, and nut bolts  |
|--|
| Scaffolding and T&P. etc. complete. (Rate including G.S.T.)  13 Lakhauri brick masonry/underpinning work in wall of required size matching to the site in lime mortar 1:1:1 (1 Lime, 1 Surkhi, 1 Coarse sand) matching to the original including Materials, Labour's, Scaffolding & T&P etc. complete. (Rate including G.S.T.)  14 Providing & fixing of M.S. Jali for window Arches of Jafar khan Mausoleum of required pattern with angle iron frames (40x40x6)mm size, having flat 40x6 mm, 12 mm thick M.S. Square Bar c/c 10 cm and covered with iron mesh Jalie and nut bolts including cutting fabricating welding and applying a priming coat of approved steel primer using structural steel etc. complete. (Rate including G.S.T.)  15 Providing & fixing of M.S. Door for Arches in Jafar khan Mausoleum of required pattern with angle iron for Chaukhat frames (50x50x6)mm size, & door frame (40x40x6 MM) having 12 mm thick M.S. Square Par e/s 10 ame including G.S.T.)  |
| Lakhauri brick masonry/underpinning work in wall of required size matching to the site in lime mortar 1:1:1 (1 Lime, 1 Surkhi, 1 Coarse sand ) matching to the original including Materials, Labour's, Scaffolding & T&P etc. complete. (Rate including G.S.T.)  14 Providing & fixing of M.S. Jali for window Arches of Jafar khan Mausoleum of required pattern with angle iron frames (40x40x6)mm size, having flat 40x6 mm, 12 mm thick M.S. Square Bar c/c 10 cm and covered with iron mesh Jalie and nut bolts including cutting fabricating welding and applying a priming coat of approved steel primer using structural steel etc. complete. (Rate including G.S.T.)  15 Providing & fixing of M.S. Door for Arches in Jafar khan Mausoleum of required pattern with angle iron for Chaukhat frames (50x50x6)mm size, & door frame (40x40x6 MM) having 12 mm thick M.S. Square Bar c/c 10 are size, & door frame  |
| original including Materials, Labour's, Scaffolding & T&P etc. complete. (Rate including G.S.T.)  14 Providing & fixing of M.S. Jali for window Arches of Jafar khan Mausoleum of required pattern with angle iron frames (40x40x6)mm size, having flat 40x6 mm, 12 mm thick M.S. Square Bar c/c 10 cm and covered with iron mesh Jalie and nut bolts including cutting fabricating welding and applying a priming coat of approved steel primer using structural steel etc. complete. (Rate including G.S.T.)  15 Providing & fixing of M.S. Door for Arches in Jafar khan Mausoleum of required pattern with angle iron for Chaukhat frames (50x50x6)mm size, & door frame (40x40x6 MM) having 12 mm thick M.S. Square Bar c/c 10 cm and covered with iron mesh Jalie and nut providing & fixing of M.S. Door for Arches in Jafar khan Mausoleum of required pattern with angle iron for Chaukhat frames (50x50x6)mm size, & door frame  |
| original including Materials, Labour's, Scaffolding & T&P etc. complete. (Rate including G.S.T.)  14 Providing & fixing of M.S. Jali for window Arches of Jafar khan Mausoleum of required pattern with angle iron frames (40x40x6)mm size, having flat 40x6 mm, 12 mm thick M.S. Square Bar c/c 10 cm and covered with iron mesh Jalie and nut bolts including cutting fabricating welding and applying a priming coat of approved steel primer using structural steel etc. complete. (Rate including G.S.T.)  15 Providing & fixing of M.S. Door for Arches in Jafar khan Mausoleum of required pattern with angle iron for Chaukhat frames (50x50x6)mm size, & door frame (40x40x6 MM) having 12 mm thick M.S. Square Bar c/c 10 cm and covered with iron mesh Jalie and nut providing & fixing of M.S. Door for Arches in Jafar khan Mausoleum of required pattern with angle iron for Chaukhat frames (50x50x6)mm size, & door frame  |
| including G.S.T.)  14 Providing & fixing of M.S. Jali for window Arches of Jafar khan Mausoleum of required pattern with angle iron frames (40x40x6)mm size, having flat 40x6 mm, 12 mm thick M.S. Square Bar c/c 10 cm and covered with iron mesh Jalie and nut bolts including cutting fabricating welding and applying a priming coat of approved steel primer using structural steel etc. complete. (Rate including G.S.T.)  15 Providing & fixing of M.S. Door for Arches in Jafar khan Mausoleum of required pattern with angle iron for Chaukhat frames (50x50x6)mm size, & door frame (40x40x6 MM) having 12 mm thick M.S. Square Bar c/c 10 cm and covered with iron mesh Jalie and nut bolts including cutting fabricating welding and applying a priming coat of approved steel primer using structural steel etc. complete. (Rate including G.S.T.)  |
| Providing & fixing of M.S. Jali for window Arches of Jafar khan Mausoleum of required pattern with angle iron frames (40x40x6)mm size, having flat 40x6 mm, 12 mm thick M.S. Square Bar c/c 10 cm and covered with iron mesh Jalie and nut bolts including cutting fabricating welding and applying a priming coat of approved steel primer using structural steel etc. complete. (Rate including G.S.T.)  15 Providing & fixing of M.S. Door for Arches in Jafar khan Mausoleum of required pattern with angle iron for Chaukhat frames (50x50x6)mm size, & door frame (40x40x6 MM) having 12 mm thick M.S. Square Bar s/s 10 and 10 are set.   |
| 12 mm thick M.S. Square Bar c/c 10 cm and covered with iron mesh Jalie and nut bolts including cutting fabricating welding and applying a priming coat of approved steel primer using structural steel etc. complete. (Rate including G.S.T.)  15 Providing & fixing of M.S. Door for Arches in Jafar khan Mausoleum of required pattern with angle iron for Chaukhat frames (50x50x6)mm size, & door frame (40x40x6 MM) having 12 mm thick M.S. Square Bar c/c 10 are also door frame   |
| 12 mm thick M.S. Square Bar c/c 10 cm and covered with iron mesh Jalie and nut bolts including cutting fabricating welding and applying a priming coat of approved steel primer using structural steel etc. complete. (Rate including G.S.T.)  15 Providing & fixing of M.S. Door for Arches in Jafar khan Mausoleum of required pattern with angle iron for Chaukhat frames (50x50x6)mm size, & door frame (40x40x6 MM) having 12 mm thick M.S. Square Bar c/c 10 are also door frame   |
| bolts including cutting fabricating welding and applying a priming coat of approved steel primer using structural steel etc. complete. (Rate including G.S.T.)  15 Providing & fixing of M.S. Door for Arches in Jafar khan Mausoleum of required pattern with angle iron for Chaukhat frames (50x50x6)mm size, & door frame (40x40x6 MM) having 12 mm thick M.S. Square Bar v/o 10 archive.   |
| steel primer using structural steel etc. complete. (Rate including G.S.T.)  15 Providing & fixing of M.S. Door for Arches in Jafar khan Mausoleum of required pattern with angle iron for Chaukhat frames (50x50x6)mm size, & door frame (40x40x6 MM) having 12 mm thick M.S. Square Bar a/a 10 area.  |
| Providing & fixing of M.S. Door for Arches in Jafar khan Mausoleum of required pattern with angle iron for Chaukhat frames (50x50x6)mm size, & door frame (40x40x6 MM) having 12 mm thick M.S. Square Bar v/o 10 architecturing G.S.T.)  |
| Providing & fixing of M.S. Door for Arches in Jafar khan Mausoleum of required pattern with angle iron for Chaukhat frames (50x50x6)mm size, & door frame (40x40x6 MM) having 12 mm thick M.S. Square Bar v/o 10 architecturing G.S.T.)  |
| pattern with angle iron for Chaukhat frames (50x50x6)mm size, & door frame (40x40x6 MM) having 12 mm thick M.S. Square Bar a/o 10  |
| (40x40x6 MM) having 12 mm thick M.S. Square Bar o/a 10 are   |
| The state of the s |
| TIVIT ITEST Jalle Including supported for M.C. Flat 40, 40, 6  |
| including supported for M.S. Flat 40x40x6 mm, and nut holts 774.89 Kg  |
| deting fabricatily welling and applying a priming and -f   |
| The state of the s |
| The following of Manual Control of Manual Contro |
| The state of the country of the state of the |
|  |
| Similar state work in single sections including diamombaria  |
| Flat MS Square leli eta / 15 t   |
|  |
| Providing & Fixing of M.S. Jali frame of in Jafar khan Mosque of required pattern with angle iron frames (35x35x5)mm size and see the second s |
| with anglet iron frames (35x35x5)mm size and assessed as its interest pattern  |
| with angle iron frames (35x35x5)mm size and covered with iron mesh Square  |
|  |
| more and applicating lability welling and applying a priming and of  |
| Tomy of dottal a steel cit. Collinger A to the training of the |
| Toviding and fixing precoated dalvanised iron profile chapte (air-   |
| production as approved by Engineer-in-chargo, 0 60 mans (1 0 05 00)  |
| and the thick to so will all the coding of the total of t |
| grade, or microtis epoxy primer on noth side of the shoot and nelvertent   |
| The file of of the state of the |
| minimum to avoid Scidiches diffing transportation and about the  |
| origin up to 14 Hielle of as desired by Engineer in charge. The state of   |
| The deling sell dillilly sell labbing screws of cize (6 EV EE mans) with EDDA  |
| seal, complete up to any pitch in horizontal/ vertical or curved surfaces, excluding   |
|  |
| cutting to size and shape wherever required. (Rate including G.S.T.)   |
| 20. Providing and fixing 4 mm ACP Shoot for M.C. L. I.   |
| 20 Providing and fixing 4 mm ACP Sheet for M.S. Jali frame with screw including cutting and fitting including taking out old 8   |
| cutting and fitting including taking out old & damaged ACP sheet. (Rate 30.36 Sqm  |
| morading 5.5.1.)   |
| 21 Finishing walls with water proofing cement paint of required shade :New work  |
| (Two or more coats applied @ 3.84 kg/10 sqm) (Rate including G.S.T.)  381.48 Sqm   |

#### **Evaluation Criteria**

10 0

1- All documents to be uploaded in CPPP portal properly.

2- This is not an item wise bid. The L1 will be selected depending upon the overall lowest bid of all the items.

3- The bidders are requested to visit the site and examine the requirement and its rate accordingly before quoting the rate in Online BOQ. If the Quoted rate is obvious Vague (Extremely High or Extremely Low) the Same will not be considered and will be rejected at Financial Stage.

STRUCTURAL REPAIRS TO JAFAR KHAN MAUSOLEUM (SADMASJID), AGRA ATAChaeological Survey of India

Archaeological Survey of India

Archaeological Survey of India

Archaeological Survey of India

## TERMS AND CONDITION FOR SUBMISSION OF TENDER

1. Tenders are hereby invited on behalf of the President of India. for the work under Tender cost of RS. 43,02,758/- (Rs. FORTY THREE LAKHS TWO THOUSAND SEVEN HUNDRED FIFTY EIGHT ONLY)

Tender document consisting of the detailed plans, complete specifications, the schedule of quantities of the various items of work to be done, and the set of conditions of contract to be complied with by the person whose tenders may be accepted. The tender forms can be downloaded from our websiteportal eprocure.gov.in flom 06/08/2022 to 27/08/2022. 2 (a) The site of the work is available, or the site for the work shall be made available by the department.

1. The Contractors should upload their tender documents online only at CPPP website: https://eprocure.gov.in/eprocure/app upto 15:00 hours of 27/08/2022 which will be opened on dated 29/08/2022at 15:30 hours.

The time allowed for the work will be 150days which will be reckoned after fifteen days from the date of issue of order to commence work.

3. The contractors should quote in figures as well as in words the rate and amount tendered by them. The amount for each item should be worked out and the requisite totals given

4. When the contractors signs a tender in an Indian Language the percentage above or below and the tendered amount in case of CPWD form No.7 and the total amount tender in the case of CPWD form No.7 and total amount tendered in the case of CPWD form No.8 and should also be written in the same language. In a case of illiterate 5. Issue of tender form will be stopped one days before the date fixed for opening of tender

6. Earnest money amounting of RS. 1,07,569/- (ONE LAKH SEVEN THOUSAND FIVE HUNDRED SIXTY NINE ONLY) (unless exempted) in deposit at call received/FDR of scheduled bank guaranteed by the Reserve Bank of India must accompany each tender

7. The contractor whose tender is accepted (unless exempted ) will be required to furnish by way of security deposit for the due fulfillment of his contract. In the case of works costing upto Rs. 1,00,000/- to 10% of the tender cost of work put to tender.

In the case of works costing upto Rs. 1,00,000/- to 10% or the tender cost of work put to tender.

II) In the case of works costing more than Rs.1,00,000/- and upto 2,00,000/- to 10% on the first Rs.1,00,000/- and 7 % on the balance.

III) In the case of works costing more than Rs.2,00,000/-, 10% on the first Rs.1,00,000/-, 7 % on the next Rs. 1,00,000/- and 5% on the balance amount.

III) In the case of works costing more than Rs.2,00,000/-, 10% on the first Rs.1,00,000/- and 7 % on the balance.

8. The security amount will be deposited by contractor in the form of FDR/CDR of any Bank RBI pledged to the Superintending Archaeologist, Archaeological Survey of

shape of Government securities. Fixed deposite deposited by contractor in the following and security deposits. The security amount will also be accepted in the shape of Government securities. Fixed deposit receipt of schedule banks will be accepted for this purpose provided confirmatory advise is forthcoming from the Reserve

9. The right of acceptance of a tender will be with SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA,

AGRA CIRCLE, AGRA who does not bind himself to accept the lowest tender and reserves to himself the authority to reject any or all of the tenders received without assignment of a reason. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected 10. Canvassing in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to Canvassing will be liable to rejection.

12. The criteria for approval of the lowest tender is over all lowest one against the total cost of the tender amount of all tenders

13. On acceptance of the tender, the name of the accredited representative(s) of the contractor who would be responsible for taking instructions from the Engineer in charge shall be communicated to the Engineer in charge.

14-Special care should be taken to write the rates in figures as well as in words and the amounts in figures only, in such a way that interposition is not possible. The total 14-Special care should be written both in figures and words. The case of figures, the word Rs. should be written before rupees and word (P) after the decimal figures e.g. 2.15 p and case of words the word (Rupees) should proceed and the word 'only' it should in variably upto decimal places. While quoting the area in the schedule of quantities the word only should be written dosely following the amount and it should not be written closely following the amount and it should not be written in the next line.

15. The President of India does not bind himself to accept the lowest or any tender and reserves to himself the right of accepting the whole or any part of the tender and

16. GST or any other of material in respect of this contracts shall be payable by the contractor and Government will not entertain any claim whatsoever in this respect 17. The Contractor shall not be permitted to tender for works in the ASI circle (responsible for award and supply of the contracts) in which his near relative is posted as an officer in any capacity between the grades of Superintending Engineer and Assistant (both inclusive). He shall also intimate the names of persons who are working with him in capacity or are subsequently employed by him and who are near relatives to any Gazetted officer in ASI or in the Ministry of Tourism and Culture by the contractor should

18. The tender of works shall remain valid for a period of 120 days from the date of opening of tenders. If any tender withdraws his tender before the said period or make any modifications in the terms and conditions of the tender, which are not acceptable to the department. Then the Government shall forfeit 100% of the said earnest

19. Contractors exempted from payment of Earnest money and Security Deposit in individual cases should attach with the tender an attested Copy of Competent authorities letter exempting them from the payment of Earnest Money and Security Deposit and should produce the original whenever called upon to do so. 20. The tender for the work shall not be witnessed by a contractor or contractors who himself/themselves has /have tendered or who may and has /have rendered for the

same work. Failure to observe this condition would render of the contractors tendering as well as witnessing the tender liable to summary rejection.

21. The copy of uploaded document should be submitted to this office along with the EMD and tenders fee before opening of tender. Should this tender be accepted, I/we hereby agree abide by and fulfil all the terms and provisions of the said conditions annexed hereto so far as applicable and or in detail thereof to forfeit and pay to the President of India or his successor in office the sum of money mentioned in the said conditions. is herewith forwarded in F.D.R. vide No. earnest money and a sum of Rs. ...) in the form of DD. If I /we fails to commence the work as specified in the above memorandum or is I/we fail to deposit the amount of security deposit specified against (ii) a in the above memorandum in accordance with the clause I of the said conditions of contract. I/we large that the said President of India or his successor in office shall/without prejudice to any other right or remedy, shall be retained by him towards such security depositive. further agree that the said President of India or his successor in office shall also be at liberty to cancel the acceptance of the tender if I / we fail to deposit security amount as

SIGNATURE AND ADDRESS OF CONTRACTOR : Mob. No. :----

Signature & address of witness to signature of tenderer. The above tender is helpeby accepted by me on behalf of the President of India Dated 2019

---: Phone No.-

Signature of the officer by whom THE TENDER IS ACCEPTED

PAN No.

कार्यालय Office of the अधीक्षण पुरातत्वविद Superintending Archaeologist भारतीय प्रातस्य गाउँकण Archaeological Survey of India आवस मण्डल, आगरा Agra Circle, Agra



#### FILE NO-03/ITD/34/2022-2023/W **GOVERNMENT OF INDIA** OFFICE OF SUPERINTENDING ARCHAEOLOGIST ARCHAEOLOGICAL SURVEY OF INDIA AGRA CIRCLE, THE 22 MALL ROAD, AGRA

NAME & ADDRESS OF CONTRACTOR

DATE OF OPENING: 29/08/2022at 15.30 Hrs.TENDER DOWNLOADED TILL 27/08/2022at 15.00 Hrs. NAME OF WORK: STRUCTURAL REPAIRS TO JAFAR KHAN MAUSOLEUM (LAL MASJID), AGRA

I/We hereby tender for the President of India of the materials described in the under mentioned memorandum according to the specification within the times specified and at the rates specified therein subject to the conditions to the contractor: -

#### **MEMORANDUM**

- (I) EARNEST MONEY RS. 1,07,569/- (ONE LAKH SEVEN THOUSAND FIVE HUNDRED SIXTY NINE ONLY)
- (II) SECURITY DEPOSIT Rs. 2,22,138.00 (Rs. TWO LAKH TWENTY TWO THOUSAND ONE HUNDRED THIRTY EIGHT) ONLY.
- (III) PAYABLE IMMEDIATELY ON THE ACCEPTANCE OF THE TENDER (INCLUDING EARNEST MONEY DEPOSITED WITH THE TENDER) ---(IV) PERCENTAGE TO BE DEDUCTED FROM BILL: Income tax and other taxes as applicable by the government
- (V) PLACE OF WORK- JAFAR KHAN MAUSOLEUM (LAL MASJID), AGRA.

| NO | and the state of t |         | Quantity |         | Tota<br>amoun |
|----|--|---------|----------|---------|---------------|
| 1. | Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift up to 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, Providing and University of the including G.S.T.)  | 102.71  | Cum      | words)  | (in<br>words  |
| 3. | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:3:6 (1 Cement: 3 coarse sand (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources) (Rate including G.S.T.)  | 62.42   | Cum      |         |               |
| 4. | foundation and plinth in cement mortar 1:6 (1 cement : 6 coarse sand) (Rate  | 56.70   | Cum      |         |               |
| 5. | Brick work with common burnt clay modular bricks of class designation 7.5 in foundation, plinth and above Plinth in cement mortar 1:6 (1 cement : 6 coarse sand)  [Rate including G.S.T.]  | 115.00  | Cum      |         |               |
|    | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:2:4 (1 cement : 2 coarse sand zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources) (Rate including G.S.T.)   | 7.29    | Cum      |         |               |
|    | 40x40x6 mm, M.S. Flat 40x6 mm thick with providing M.S. square bar 10 mm thick including apply of steel primer and painting etc. including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required (Rate including C.S.T.)  | 3220.56 | Kg       |         |               |
|    | 18 mm thick cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) mixed with colour pigment as per original finished rough with sponge. (Rate including G.S.T.)   | 381.48  | Sqm      |         |               |
|    | Providing & Fixing M.S. Gate having Angle Iron frame 50x50x6 mm thick with M.S. Flat of size 50x6 mm size and providing M.S. square bar 16 mm thick placed at a distance of 10 cm C/C including apply of steel primer and painting etc. including Gate Fixing for supported on R.S. Joists (150x75x5 mm) including cutting, welding, abour & material complete in all respect. (Rate including G.S.T.)   | 581.96  | Kg       |         |               |
| 1  | Painting with synthetic enamel paint of approved brand and manufacture of required coldur to give an even shade: Two or more coats on new work over an index coat of suitable shade with ordinary paint of approved brand and recognition (Rate including G.S.T.)  | 290.72  | Sqm      |         |               |
| 1  | Providing and laying 75 mm thick Red Sand stone flooring chiseled dressed on top over 20mm, thick lime mortar (1 Lime, 1 Coarse Sand, 1 Surkhi). Matching to the Stone Shade, Pointing with same mortar andincluding supply of all materials, abour, T&P etc. required for proper completion of work. (including Pointing) (Rate including G.S.T.)   | 485.65  | Sqm      |         |               |
|    |  |         | 7        | गर्यालय |               |

Office of the अधीक्षण पुरातत्वविद् Superintending Archaeologist भारतीय पुरातत्व सर्वेक्षण Archaeological Survey of India आगरा मण्डल, आगरा

|     | 1 Providing and Fiving D. I.  |        |     |  |
|-----|---|--------|-----|--|
|     | 1. Providing and Fixing Red sand stone Members as Gola Galta, Dab, Curved arch stone, Rassa design pillar, Door frame, Pillar & Bidi work fine dressed on all exposed surface set in 1:1:1 ratio mortar(1 U Lime: 1 C. Sand 1 Surkhi of 1st class bricks) including chiseling out the old and decayed red sand stone same members work. (Rate including G.S.T.)   | 1.80   | Cum |  |
|     | <ol> <li>Recessed pointing with 1:1:1 ratio mortar (1 Lime, 1 Surkhi, 1 Coarse sand) including racking out joints of brick work etc. including materials, labour's, Scaffolding and T&amp;P. etc. complete. (Rate including G.S.T.)</li> <li>Lakhauri brick masons//made</li> </ol>   | 420.94 | Sqm |  |
|     | 3. Lakhauri brick masonry/underpinning work in wall of required size matching to the site in lime mortar 1:1:1 (1 Lime, 1 Surkhi, 1 Coarse sand ) matching to the original including Materials, Labour's, Scaffolding & T&P etc. complete. (Rate including G.S.T.)  | 15.30  | Cum |  |
|     | Providing & fixing of M.S. Jali for window Arches of Jafar khan Mausoleum of required pattern with angle iron frames (40x40x6)mm size, having flat 40x6 mm, 12 mm thick M.S. Square Bar c/c 10 cm and covered with iron mesh Jalie and nut bolts including cutting fabricating welding and applying a priming coat of approved steel primer using structural steel etc. complete. (Rate including G.S.T.)   | 473.26 | Kg  |  |
|     | pattern with angle iron for Chaukhat frames (50x50x6)mm size, & door frame (40x40x6 MM) having 12 mm thick M.S. Square Bar c/c 10 cm and covered with including cutting fabricating welding and applying a priming coat of approved steel primer using structural steel etc. complete (P. 1)  | 774.89 | Kg  |  |
|     | lead up to 350 Mtr. Av. and lift up to 4.50m Av. and throwing by tractor trolly from  | 90.61  | Cum |  |
|     | within 50 metres lead in: (M.S. Angles, M.S. Flat, M.S. Square Jali etc.) (Rate   | 595.06 | Kg  |  |
|     | Providing & Fixing of M.S. Jali frame of in Jafar khan Mosque of required pattern with angle iron frames (35x35x5)mm size and covered with iron mesh Square (15mmx15 mm) Jali including supported for M.S. Flat 30x5 mm, and nut bolts including cutting fabricating welding and applying a priming coat of approved steel primer using structural steel etc. complete. (Rate including G.S.T.)   | 595.06 | Kg  |  |
|     | of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length up to 12 metre or as desired by Engineer in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete up to any pitch in thorizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including | 37.95  | Sqm |  |
|     | cutting and fitting including taking out old & damaged ACP sheet. (Rate including G.S.T.)   | 30.36  | Sqm |  |
| 41. | Finishing walls with water proofing cement paint of required shade :New work (Two or more coats applied @ 3.84 kg/10 sqm) (Rate including G.S.T.)   | 381.48 | Sqm |  |

SIGNATURE OF CONTRACTOR

कार्यालय Office of the अधीकण पुरातत्वविद् Superintending Archaeologist भारतीय पुरातत्व सर्वेक्षण Archaeological Survey of India आगरा मण्डल, आगरा Agra Circle, Agra

#### ELIGIBILITY CERTIFICATES TO BE ENCLOSED BY THE COMPANY/ FIRM/ AGENCY/ CONTRACTOR

The tendering for execution of work Company/Firm/Agency/Contractor should submit the

following documents (self-attested copy)

| 1.    |  | RELEVENT<br>DOCUMENT TO BE<br>PROVIDED   | Enclosed<br>Yes/No | PAGE NO. Of Bid |
|-------|--|--|--------------------|-----------------|
|       | The firm/Agency should have registration in ASI / any central Government department for civil work.  | 0 1-   | Yes/No             | Document        |
| 2.    | The Firm/ Agency/ Contractor should be registered with GST.  | Copy of Registration<br>Certificate to be<br>provided                                      | Yes/No             |                 |
|       | The Firm/Agency should have Income Tax Return for three financial year 2018-2019, 2019-2020 and 2020-2021 (A.Y. 2019-2020, 2020-2021 & 2021-2022).   | Copy of I.T.R for financial year 2018-2019, 2019-2020 and 2020-2021 (A.Y. 2019-2020, 2020- | Yes/No             |                 |
| 4.    | Pan Card   | 2021 & 2021-2022).<br>Copy of Pan Card   | Yes/No             |                 |
| 5.    | The firm/agency should have average  | should be provided Copy to be provided.  | Yes/No             |                 |
|       | year (2018-2019, 2019-2020 and 2020-2021), should be at least 30% of the tender cost i.e. Rs. 12,90,827/ A certificate in this regard issued by the CA has to be submitted.  |  |                    |                 |
|       | The firm / agency should have experience for completion of at least three similar nature of work at monument /heritage sites costing not less than 40% of the tender cost i.e. 17,21,103/- OR Two Similar Nature of works Costing not less than 50% of the tender cost i.e. Rs. 21,51,379/- OR One Similar Nature of work costing not less than 80% of the tender cost i.e. Rs. 34,42,206/ and those work/works should have been completed during the last seven financial years. i.e. 2015-2016 to 2021-2022. | Copy of work order<br>and its completion<br>certificate to be<br>provided                  | Yes/No             |                 |
| .   [ | EMD (in FDR form) or Exemption Certificate or Bid Security Declaration Certificate,  | Copy to be provided.   | Yes/No             |                 |
|       | Tendor cocentral I II  | Copy to be provided.   | Yes/No             |                 |

1. Those Bidders who have not mentioned page number against the above point 1-8 in the column of PAGE NO. Of Bid Document will not be evaluated and rejected in Technical Stage.

2. The bidders are requested to enclose only required documents.

3. For experience against Para 6 both work order and its completion certificate is mandatory. The copy of work order without completion certificate and Completion Certificate without Copy of Work Order will not be considerd.

AUTHORISED SIGNATORY

Office of the अधीक्षण पुरातत्वविद् Superintending Archaeologist भारतीय पुरातत्व सर्वेक्षण Archaeological Survey of India आगरा मण्डल, आगरा Agra Circle, Agra

### INSTRUCTIONS FOR ONLINE BID SUBMISSION

The Bidders are required to submit soft copies of their Bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the Bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their Bids online on the CPP Portal. More information useful for submitting online Bids on the CPP REGISTRATION

- Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL: https://eprocure.gov.in/eprocure/app) by clicking on the link "Online Bidder Enrolment" on the CPP Portal which is free of charge.
- As part of the enrolment process, the Bidders will be required to choose a unique username and assign a password for their accounts. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used 3)
- Upon enrolment, the Bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / NCode / EMudhra etc.), with their profile.
- Only one valid DSC should be registered by a Bidder. Please note that the Bidders are responsible to ensure that they do not lend their
- Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token. SEARCHING FOR TENDER DOCUMENTS
- There are various search options built in the CPP Portal, to facilitate Bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the Bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location,
- Once the Bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the Bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- The Bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from PREPARATION OF BIDS
- Bidder should take into account any corrigendum published on the tender document before submitting their Bids.
- Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the Bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the james and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of
- Bidder, in advance, should get ready the Bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which
- To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every Bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the Bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a Bid, and need not be uploaded again and again. This will lead to a reduction in the time required for Bid submission process. SUBMISSION OF BIDS
- Bidder should log into the site well in advance for bid submission so that they can upload the Bid in time i.e. on or before the Bid submission time. Bidder will be responsible for any delay due to other issues.
- The Bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document. 3)
- Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument. Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of Bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during Bid submission time. Otherwise the uploaded bid will be rejected.
- Bidders are requested to note that they should necessarily submit their financial Bids in the format provided and no other format is acceptable. If the price Bid has been given as a standard BOQ format with the tender document, then the same is to be downloaded and to be filled by all the Bidders. Bidders are required to download the BOQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the Bidder). No other cells should be changed. Once the details have been completed, the Bidder should save it and submit it online, without changing the filename. If the BOQ file is found to
- The server time (which is displayed on the Bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the Bids by the Bidders, opening of Bids etc. The Bidders should follow this time during Bid submission.
- All the documents being submitted by the Bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of Bid opening. The confidentiality of the Bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any Bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/Bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized Bid openers.
- The uploaded lender documents become readable only after the tender opening by the authorized Bid openers.
- Upon the successful and timely submission of Bids (I e after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful Bid submission message & a Bid summary will be displayed with the Bid no. and the date & time of submission of the Bid
- The Bid summary has to be printed and kept as an acknowledgement of the submission of the Bid. This acknowledgement may be used ASSISTANCE TO BIDDERS
- Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- Any queries relating to the process of online Bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk Mobile Number - +91 8826246593 Tel: The 24 x 7 Help Desk Number 0120-4200462, 0120-4901002 me

अभिक्षण पुरासस्यविद् Superintending Archaeologist भारतीय पुरातात्व सर्वक्षण Archaeological Survey of India आवस सम्बत्त, आवस Agra Circle, Agra

## TENDER ACCEPTANCE LETTER (To be given on Company Letter Head)

To,

Date:

SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, The 22, Mall Road, Agra Circle, Agra

SUB: ACCEPTANCE OF TERMS & CONDITIONS OF TENDER.

TENDER REFERENCE NO: 03/ITD/34/2022-2023/W (PIN CODE 282004)

NAME OF TENDER / WORK: - STRUCTURAL REPAIRS TO JAFAR KHAN MAUSOLEUM (LAL MASJID), AGRA
Dear Sir.

1. I/ We have downloaded / obtained the tender document(s) for the above mentioned 'Tender/Work' from the web site(s) namely: for the work of STRUCTURAL REPAIRS TO JAFAR KHAN MAUSOLEUM (LAL MASJID). AGRA.

2. I/ We hereby certify that I / we have read the entire terms and conditions of the tender documents from Page No. -- to --- (including all documents like annexure(s), schedule(s), etc.), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.

3. The corrigendum(s) issued from time to time by your department/ organization to have also

been taken into consideration, while submitting this acceptance letter.

4. I/ We do hereby declare that our Firm has not been blacklisted/ debarred by any Govt. Department/Public sector undertaking.

5. I/ We certify that all information furnished by our Firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/ organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.

6. I/ We agree to complete the work after acceptance of the tender.

Yours Faithfully,

(Signature of the Bidder) with Official Seal

कार्यालय
Office of the
अधीक्षण पुरातत्त्वविद्
Superintending Archaeologist भारतीय पुरातत्त्व सर्वेक्षण Archaeological Survey of India आगरा मण्डल, आगरा Agra Circle, Agra

### **DECLARATION**

- 1. I,------ Son/Daughter of Shri ----- signatory of the agency/
  Firm mentioned above, is competent to sign this declaration and execute this tender document
- 2. I have carefully read and understood all the terms and conditions of the tender and undertake to abide by them:
- 3. My agency has not been blacklisted/ debarred from participating in tender by any Ministry, Department of Government of India and Government of India undertaking in the last Three (3) Years as on date of opening of this Tender.
- 4. The information/ documents furnished along with the above application are true and authentic to the best of my knowledge and belief.
- 5. If We am/ are well aware of the fact that furnishing of any false information/ fabricated document would lead to rejection of my tender at any stage besides liabilities towards prosecution under appropriate law:

Signature of authorized person Full Name: Seal:

Date: Place:

कार्यालय Office of the अभीक्षण पुरातत्विद् Superintending Archaeologist भारतिग्य पुरातत्व सर्वेक्षण Archaeological Survey of India आगस मण्डल, आगरा Agra Circle, Agra