

सत्यमेव जयते  
प्रत्नकीर्तिमपावृणु

**SECTION-1**  
**TABLE — A: TIME AND WORK FRAME**

EXECUTION OF WORK

**FOR THE WORK UNDER- PROVISION OF IMPROVING OF  
VISITOR MOVEMENTS AND AMENITIES AT FATEHPUR  
SIKRI, AGRA**

MANUAL BIDS SHALL NOT BE ACCEPTED.

**CRITICAL DATE SHEET**

1.	Bid Start Date	08/03/2024
2.	Bid Document Download / Sale Start Date	08/03/2024
3.	Bid Submission Closing Date	27/03/2024at 15:00
4.	Technical Bid Opening Date	28/03/2024at 15:30
5.	Financial Bid Opening Date/Time	After Opening Technical Bid
6.	Validity of Bid	120 days from the date of opening.





The Archaeological Survey of India Agra Circle, Agra invites Online Bids in the prescribed form under the double Bid system i.e. technical and Financial Bid for Execution of work  
**PROVISION OF IMPROVING OF VISITOR MOVEMENTS AND AMENITIES AT FATEHPUR SIKRI, AGRA**

1. The system of e-tendering shall be adopted as double Bid. Tender documents may be downloaded from CPPP site <https://eprocure.gov.in/eprocure/app> as per the schedule as given in CRITICAL DATE SHEET.

**2. Bid Submission:**

Applicants/ intending or interested Bidders are invited to submit their online proposal after carefully reading the Request for Proposal (RFP) by providing necessary document and submission of BOQ. Such proposal are to be submitted online within the stipulated date and time as mentioned in the Tender Document and as given in CRITICAL DATE SHEET. Bids shall be submitted online only at CPPP website: <https://eprocure.gov.in/eprocure/app>.

Bid documents may be scanned with 100 dpi with black and white option which help in reducing size of the scanned document.

**3. Earnest Money Deposit:**

The Hard Copy of original instruments in respect of cost of earnest money must be deposited to the **SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE, 22 MALL ROAD, AGRA** on or before Tender opening date/ time as mentioned in critical date sheet.

The offer without EMD will be rejected summarily. EMD is to be supplied by all the bidders except those who are registered with **Central Purchase Organization, National Small Industries Corporation (NSIC)/ MSME or Who have submitted Bid Security Declaration.**

4. **Tender cost Of Tender: RS. 44,76,221/- (Rs. FORTY FOUR LAKHS SEVENTY SIX THOUSAND TWO HUNDRED TWENTY ONE) ONLY**

**:-Contact Details:-**

Contact Person	SUPERINTENDING ARCHAEOLOGIST
Address for communication	SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE, 22 MALL ROAD, AGRA e-mail – circleagra.asi@gov.in
Contact No.	0562- 2227261







प्रत्यक्षीयमपादुणु  
FILE NO-03/FTS/40/2023-2024/W  
GOVERNMENT OF INDIA

भारत सरकार

Office of the Superintending Archaeologist

कार्यालय अधीक्षण पुरातत्वविद्

Archaeological Survey of India

भारतीय पुरातत्व सर्वेक्षण

Agra Circle, 22 Mall Road, Agra 282001

आगरा मण्डल, 22 माल रोड, आगरा 282001

**NOTICE INVITING TENDER**

**निविदा आमंत्रण सूचना**

The Superintending Archaeologist, Archaeological Survey of India, Agra Circle, Agra, invites e-tender on the behalf of the President of India, through CPP Portal for the following works as per specification given below under the work **PROVISION OF IMPROVING OF VISITOR MOVEMENTS AND AMENITIES AT FATEHPUR SIKRI, AGRA** from the registered contractors of Archaeological Survey of India/State PWD or any Central Government Department.


अधीक्षण पुरातत्वविद्, भारतीय पुरातत्व सर्वेक्षण आगरा मण्डल, आगरा भारत के राष्ट्रपति की ओर से सी० पी० पी० पोर्टल के माध्यम से कार्य **PROVISION OF IMPROVING OF VISITOR MOVEMENTS AND AMENITIES AT FATEHPUR SIKRI, AGRA** हेतु भारतीय पुरातत्व सर्वेक्षण/राज्य पी०डब्ल्यू०डी० या केंद्र सरकार के किसी विभाग के पंजीकृत ठेकेदारों से ई टेंडर आमंत्रित करता है।

**Eligibility Criteria: -**

पात्रता मापदंड:-

- 1<sup>st</sup> The firm/Agency should have registration in ASI / State PWD or any Central Government Department for civil works.
- 2<sup>nd</sup> क. फर्म/एजेंसी का सिविल कार्यों के लिये भारतीय पुरातत्व सर्वेक्षण / राज्य पी०डब्ल्यू०डी० या केंद्र सरकार के किसी भी विभाग में पंजीकरण होना चाहिये।
3. The firm/Agency should have GST registration.  
ख. फर्म/एजेंसी के पास जी० एस० टी० पंजीकरण होना चाहिये।
4. The firm/Agency should have Pan Card.  
ग. फर्म/एजेंसी के पास पेन कार्ड होना चाहिये।
5. The Firm/Agency should have income tax return for three financial year 2019-2020, 2020-2021 and 2021-2022. (A.Y. 2020-2021, 2021-2022, & 2022-2023).  
घ. फर्म/एजेंसी को तीन वित्तीय वर्ष 2019-2020, 2020-2021 एवं 2021-2022 (निर्धारण वर्ष 2020-2021, 2021-2022 एवं 2022-2023) का आयकर रिटर्न भरा होना चाहिये।
6. The firm/agency should have average annual financial turnover during three financial year ( 2019-2020, 2020-2021 and 2021-2022), should be at least 30% of the tender cost i.e. Rs. 13,42,866/-. A certificate in this regard issued by the CA has to be submitted.  
च. फर्म /एजेंसी के पास 3 वित्तीय वर्षों (2019-2020, 2020-2021 एवं 2021-2022)के दौरान औसत वार्षिक वित्तीय करोबार निविदा राशि का कम से कम 30 प्रतिशत होना चाहिये यानी रु० 13,42,866/- जिसे सी० ए० द्वारा जारी प्रमाण पत्र के रूप में प्रस्तुत करना होगा।
7. The firm / agency should have experience for completion of three similar nature of work each costing not less than 40% of the tender cost i.e. 17,90,488/- OR Two Similar Nature of works each Costing not less than 50% of the tender cost i.e. Rs. 22,38,1112/- OR One Similar Nature of work costing not less than 80% of the tender cost i.e. Rs. 35,80,977/-. And that/those work/works should have been completed during the last seven financial years. i.e. 2016-2017 to 2022-2023.  
(Similar Nature of Work Means:- the bidders should have the experience in execution of Civil Works at heritage site/heritage building/monuments)  
8<sup>th</sup> 7<sup>th</sup> फर्म/एजेंसी के पास समान प्रकृति के तीन कार्य पूरा करने का अनुभव होना चाहिए प्रत्येक की लागत निविदा लागत का 40: से कम नहीं होनी चाहिए यानी 17,90,488/- या दो समान प्रकृति के कार्यए प्रत्येक की लागत निविदा की 50: से कम नहीं होनी चाहिए यानी रु. 22,38,1112/- या समान प्रकृति के एक कार्य की लागत निविदा लागत का 80: से कम नहीं होनी चाहिए अर्थात रु. 35,80,977/- तथा वह/वे कार्य/कार्य पिछले सात वित्तीय वर्षों के दौरान पूर्ण किये गये होने चाहिए। यानी 2016.2017 से 2022.2023 तक.

PROVISION OF IMPROVING OF VISITOR MOVEMENTS AND AMENITIES AT FATEHPUR SIKRI, AGRA





9. कार्य की समान प्रकृति का अर्थ है:- बोलीदाताओं को विरासत स्थल/विरासत भवन/स्मारकों पर सिविल कार्यों के निष्पादन में अनुभव होना चाहिए)

10. Copy of work order and completion certificate should be uploaded on CPP Portal as per tender required.

ज. कार्य आदेश और पूर्णता प्रमाण पत्र की प्रतिलिपि आवश्यक निविदा के अनुसार सीओ पीओ पीओ पोर्टल पर अपलोड की जानी चाहिये।  
The eligible Contractors may upload their tender documents online only at CPPP website: <https://procure.gov.in/eprocure/app> upto 15:00 hours of 27/03/2024 which will be opened on dated 28/03/2024 at 15:30 hours.

पात्र ठेकेदार केवल सीओ पीओ पीओ वेबसाइट <http://eprocure.gov.in/eprocure/app> पर अपने निविदा दस्तावेज दिनांक 27/03/2024 at 15:00 तक ऑनलाइन अपलोड कर सकते हैं जो दिनांक 28/03/2024 at 15:30 खोला जाएगा।

**TENDER COST RS. 44,76,221/- (Rs. FORTY FOUR LAKHS SEVENTY SIX THOUSAND TWO HUNDRED TWENTY ONE) ONLY**

अनुमानित राशि:- रु 44,76,221/- (रु चौबालीस लाख छिहत्तर हजार दो सौ एक्कीस मात्र)

**EARNEST MONEY RS. 1,11,906/- (ONE LAKH ELEVEN THOUSAND NINE HUNDRED SIX ONLY)**

बयाना राशि:- रु 1,11,906/- (रु एक लाख ग्यारह हजार नौ सौ छह मात्र)

(Exemption as per rules)

(नियमानुसार छूट)

The earnest money should be in the form of FDR drawn in favour of the "SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA" Payable at Agra of any scheduled bank guaranteed by the Reserve Bank of India and enclose with the tender.

अमानत राशि एफओ डीओ आरओ के रूप में निविदा के साथ संलग्न होना चाहिए जो "भारतीय रिजर्व बैंक द्वारा समर्थित आगरा के किसी भी अनुसूचित बैंक में अधीक्षण पुरातत्वविद, भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा के पक्ष में देय हो।

Time allowed for completion of work will be 180 days which will be reckoned within fifteen days from the date of issue of order. Tenders of the contractors who do not deposit earnest money in favour of the SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE in the prescribed form will be liable to be summarily rejected.

कार्य पूरा होने के लिए अनुमत समय 180 दिन होगा जिसे कार्य आदेश जारी होने की तारीख से पंद्रह दिनों के अंदर माना जाएगा। उन ठेकेदारों की निविदाएं निरस्त मानी जाएगी जो अधीक्षण पुरातत्वविद, भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा के पक्ष में निर्धारित राशि जमा नहीं करते हैं।

Conditions and tender forms can be downloaded from our ASI website [www.asiagracycircle.in](http://www.asiagracycircle.in) and e-portal [eprocure.gov.in](http://eprocure.gov.in). w.e.f. 08/03/2024 to 27/03/2024 upto 15:00 hours of each day.

निविदा शर्तें एवं प्रपत्र हमारी वेबसाइट [www.asiagracycircle.in](http://www.asiagracycircle.in) और e-portal [eprocure.gov.in](http://eprocure.gov.in) से दिनांक 08/03/2024 से दिनांक 27/03/2024 upto 15:00 बजे तक डाउनलोड किए जा सकते हैं।

No tender shall be entertained after this deadline under any circumstances what so ever. The Bids of tenders will be opened on 28/03/2024 AT 15:30 HRS. in the presence of authorized representative of Bidders as may wish to be personally present.

इस समय सीमा के बाद किसी भी परिस्थिति में कोई भी निविदा पर विचार नहीं किया जाएगा। निविदाओं की तकनीकी बोलियां बोलीदाताओं के अधिकृत प्रतिनिधि की उपस्थिति में या व्यक्तिगत रूप से उपस्थिति में दिनांक 28/03/2024 को 15:30 बजे खोली जाएगी।

Tender documents are available in the ASI website [www.asiagracycircle.in](http://www.asiagracycircle.in) and e-portal [eprocure.gov.in](http://eprocure.gov.in). The bidder must attach the copy of EMD should be deposited in ASI, Agra Circle Agra on or before the date of opening the tender.

भारतीय पुरातत्व सर्वेक्षण, आगरा की वेबसाइट [www.asiagracycircle.in](http://www.asiagracycircle.in) और e-portal [eprocure.gov.in](http://eprocure.gov.in) पर निविदा दस्तावेज उपलब्ध हैं। बोली लगाने वाले को तकनीकी निविदा खोलने से पहले भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा में बयाना राशि की प्रति जमा करनी होगी।

The Archaeological Survey of India reserves the right to amend or withdraw any of the terms and conditions contained in the Tender Document or to reject any or all tenders without given any notice or assigning any reason. The decision of the Archaeological Survey of India, in this regard shall be final and binding on all parties in all circumstances.


भारतीय पुरातत्व सर्वेक्षण निविदा दस्तावेज में शामिल किसी भी नियम और शर्तों को संशोधित करने या वापस लेने या किसी भी कारण बताए किसी भी या सभी निविदाओं को अस्वीकार करने का अधिकार सुरक्षित रखता है। इस सम्बंध में भारतीय पुरातत्व सर्वेक्षण का निर्णय सभी परिस्थितियों में सभी पक्षों पर अंतिम और बाध्यकारी होगा।






**NAME OF WORK: PROVISION OF IMPROVING OF VISITOR MOVEMENTS AND AMENITIES AT  
FATEHPUR SIKRI, AGRA**

Sl. No.	Description of Execution of work	Qty.	
1.	Demolishing R.C.C. work manually/ by mechanical means including and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge. <b>(Rate Including G.S.T.)</b> .	7.43	Cum
2.	Demolishing brick work manually/ by mechanical means including disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. <b>(Rate Including G.S.T.)</b> .	41.15	Cum
3.	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix). <b>(Rate Including G.S.T.)</b> .	9.08	Cum
4.	Earth work in excavation by manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift up to 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. <b>(Rate Including G.S.T.)</b> .	31.30	Cum
5.	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources). <b>(Rate Including G.S.T.)</b> .	13.41	Cum
6.	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 coarse sand).use 80 % old brick collected by against item no 2. <b>(Rate Including G.S.T.)</b> .	20.48	Cum
7.	Providing and laying damp-proof course 50mm thick with cement concrete 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20mm nominal size derived from natural sources). <b>(Rate Including G.S.T.)</b> .	25.14	Sqm
8.	Centering and shuttering including strutting, propping etc. and removal of form for Suspended floors, roofs, landings, balconies and access platform as per direction of Engineer-in-charge. <b>(Rate Including G.S.T.)</b> .	85.59	Sqm
9.	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources) as per direction of Engineer-in-charge. <b>(Rate Including G.S.T.)</b> .	11.73	Cum
10.	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level Mild steel and Medium Tensile steel bars as per direction of Engineer-in-charge. <b>(Rate Including G.S.T.)</b> .	1151.39	Kg
11.	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand) as per direction of Engineer-in-charge. <b>(Rate Including G.S.T.)</b> .	37.39	Cum
12.	Supply & fixing Red sand stone plain fine dressed in string coarse as Pillar, Daab, Slab, Beam, & Steps set in Cement mortar 1:6 (1 cement : 6 coarse sand), including pointing with white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade etc complete as per direction of Engineer-in-charge. <b>(Rate Including G.S.T.)</b> .	6.74	Cum






13.	Stone work, plain in copings, cornices, string courses, thevi, galta, carving panel etc. and plinth courses in Cement mortar 1:6 (1 cement : 6 coarse sand), including pointing with white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade etc complete as per direction of Engineer-in-charge. <b>(Rate Including G.S.T.)</b> .	7.84	Cum
14.	Providing 12 mm cement plaster on wall, roof, ceiling etc mix : 1:4 (1 cement: 4 fine sand) etc complete. <b>(Rate Including G.S.T.)</b> .	431.36	Sqm
15.	Providing & fixing of Red sand stone exposed face fine dressed with rough backing 30 thick Stone work (machine cut edges) for wall lining etc. (veneer work), backing filled with a grout of average 12 mm thick cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade etc complete as per direction of Engineer-in-charge. <b>(Rate Including G.S.T.)</b> .	62.58	Sqm
16.	Providing and fixing Red sand stone jali 40 mm thick in cement mortar 1:3 (1 cement : 3 coarse sand), including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment, matching the stone shade, jali slab without any chamfers etc. <b>(Rate Including G.S.T.)</b> .	4.73	Sqm
17.	Providing and fixing Red sand stone horizontal chajja of stone 40 mm thick and upto 80 cm projection in cement mortar 1:4 (1 cement : 4 coarse sand), including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade. <b>(Rate Including G.S.T.)</b> .	23.86	Sqm
18.	Providing and fixing of Red sand stone 40 mm thick fine dressed stone flooring over 20 mm (average) thick base of cement mortar 1:5 (1 cement : 5 coarse sand), including pointing with cement mortar 1:2 (1 cement : 2 stone dust) with an admixture of pigment to match the shade of stone. <b>(Rate Including G.S.T.)</b> .	71.86	Sqm
19.	Providing & laying 10 cm thick (average) mud phaska of damped brick earth on roofs laid to slope consolidated and plastered with 25 mm thick mud mortar mixed with bhusa @ 35 kg per cum of earth and gobri leaping with mix 1:1 (1 clay : 1 cow dung) and covered with flat tile bricks, grouted with cement mortar 1:3 (1 cement : 3 fine sand) mixed with 2% of integral water proofing compound by weight of cement and finished neat: With common burnt clay F.P.S.(non modular) brick tile of class designation 10. <b>(Rate Including G.S.T.)</b> .	79.30	Sqm
20.	Providing and laying Vitrified tiles in floor with different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS : 15477, in average 6 mm thickness, Size of Tile 600x600 mm glazed vitrified tiles matt/ Antiskid finish etc. complete. <b>(Rate Including G.S.T.)</b> .	48.56	Sqm
21.	Providing and fixing Mughal pattern door of size 1.20m x 2.10m of Sal wood Malaysian having 4 cm. thick back and fix frame 4 cm. thick and moulded baini including 82 nos conical headed nail, 3 nos kunda with janjeer, 2 nos pivot and locking arrangement etc complete. <b>(Rate Including G.S.T.)</b> .	4.00	Nos.
22.	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length Second class teak wood. <b>(Rate Including G.S.T.)</b> .	0.24	Cum
23.	Providing and fixing glazed shutters for doors, windows and clerestory windows using 4 mm thick float glass panes, including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws, handle, dandala. Second class teak wood 35 MM thick. <b>(Rate Including G.S.T.)</b> .	8.93	Sqm





24.	Providing and fixing 18 mm thick Granite stone slab colour black, Cherry/Ruby red gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels. <b>(Rate Including G.S.T.)</b> .	12.19	Sqm
25.	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. <b>(Rate Including G.S.T.)</b> .	279.19	Sqm
26.	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gms/litre, of approved manufacturer, of required shade and colour complete, as per manufacturer's specification two or more coats on new work <b>(Rate Including G.S.T.)</b> .	279.19	Sqm
27.	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture. <b>(Rate Including G.S.T.)</b> .	37.61	Sqm
28.	Providing and fixing R.O. plant of 1000 Ltr/hr. capacity having SS skid mounted, Fully covered, Manual as well as fully automatic in installed at Fatehpur Sikri, Agra. Specification and component given below - (1) Capacity - 1000 LPH, (2) Working Pressure- 10-12 Bar, (3) Booster pump 2-18 - vertical pump/R.O. pump SS 316 Sumo/DP/Eq., (4) Membrane Material - TFC with FRP outer wrap, membrane size x unit - 40 x 40 x 4 Dow/GE osmonics/Eq., (5) membrane Housing Material - SS/FRP (Maxima/Imported), (6) Membrane Housing - 80 x 40 x 2, (7) Flow Meter - Pure water & waste water, (8) Pressure Gauges - 4 Nos. (Sand filter, Carbon filter, MCF, Membrane feed and reject). (9) Water quality indicator - On line TDS meter, (10) Electrical Controls - Main Supply :On/Off, Over load protection, High Pressure Pump : On/Off, Raw water pump : On/Off, Dosing pump : On/Off, High Pressure/Low Pressure Tripping, level sensor, (11) Frame/skid - Stainless steel, (12) Solenoid valve 1", (13) Pre Filtration - sand filter & carbon filter, (14) Feed water Requirement - Feed water Temp:20-45 C, SDI, (15) Storage Tank (Triple layer) 3000 ltr. cap., (16) Storage Tank white - Rectangular (ISI) 1000 ltr. cap, (17) Water Supply line fittings UPVC, (18) MP Valve imported 1" 2 Nos., (19) Micron filter big blue 20" with housing Imported, (20) Electric Panel Automatic, (21) Skid SS 304 grade for R.O. Plant, (22) SS Stand for pure water tank, (23) Floty 2 Nos. (24)Vassals Aventura / Wavs Cyber 1665 T & D. etc complete with fabrication charges <b>(Rate Including G.S.T.)</b> .	1.00	Set
29.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 20 mm nominal dia Pipes. <b>(Rate Including G.S.T.)</b> .	60.00	Mtr
30.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.25 mm nominal dia Pipes. <b>(Rate Including G.S.T.)</b> .	30.00	Mtr










46.	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : One urinal basin with 5 litre white P.V.C. automatic flushing cistern. <b>(Rate Including G.S.T.).</b>	1.00	Nos.
47.	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps. <b>(Rate Including G.S.T.).</b>	2.00	Nos.
48.	Providing & Fixing of Pillar Tap/ Cock Hindware or Eq. <b>(Rate Including G.S.T.).</b>	2.00	Nos.
49.	Providing & Fixing of Connection Pipe Size 12" to 18" <b>(Rate Including G.S.T.).</b>	6.00	Nos.
50.	Providing & Fixing of Bib Cock Hindware or Eq. <b>(Rate Including G.S.T.).</b>	2.00	Nos.
51.	Providing & Fixing of Angle Valve Hindware or Eq. <b>(Rate Including G.S.T.).</b>	5.00	Nos.
52.	Providing & Fixing of Health Fucet Hindware or Eq. <b>(Rate Including G.S.T.).</b>	2.00	Nos.
53.	Providing & Fixing of Soap Dispensor <b>(Rate Including G.S.T.).</b>	2.00	Nos.
54.	Providing & Fixing of Tissue Paper Holder <b>(Rate Including G.S.T.).</b>	2.00	Nos.
55.	Providing & Fixing of Towel Rod/ Ring Hindware or Eq. <b>(Rate Including G.S.T.).</b>	2.00	Nos.
56.	Providing & Fixing of Hanger SS <b>(Rate Including G.S.T.).</b>	2.00	Nos.

#### Evaluation Criteria

- 1- All documents to be uploaded in CPPP portal properly.
- 2- This is not an item wise bid. The L1 will be selected depending upon the overall lowest bid of all the items.
- 3- The bidders are requested to visit the site and examine the requirement and its rate accordingly before quoting the rate in Online BOQ. If the Quoted rate is obvious Vague (Extremely high or extremely Low) the same will not be considered and will be rejected at Financial Stage.

  
 Superintending Archaeologist





## TERMS AND CONDITION FOR SUBMISSION OF TENDER

1. Tenders are hereby invited on behalf of the President of India, for the work under Tender cost of **RS. 44,76,221/- (Rs. FORTY FOUR LAKHS SEVENTY SIX THOUSAND TWO HUNDRED TWENTY ONE) ONLY**
  2. Tender document consisting of the detailed plans, complete specifications, the schedule of quantities of the various items of work to be done, and the set of conditions of contract to be complied with by the person whose tenders may be accepted. The tender forms can be downloaded from our website- [www.asiagracircle.in](http://www.asiagracircle.in) and e-portal eprocure.gov.in from **08/03/2024 to 27/03/2024**.
  3. (a) The site of the work is available, or the site for the work shall be made available by the department.
  4. The Contractors should upload their tender documents online only at CPPP website: <https://eprocure.gov.in/eprocure/app>. upto **15:00 hours of 27/03/2024** which will be opened on dated **28/03/2024 at 15:30 hours**.
  5. The time allowed for the work will be **180 days** which will be reckoned after fifteen days from the date of issue of order to commence work.
  6. The contractors should quote in figures as well as in words the rate and amount tendered by them. The amount for each item should be worked out and the requisite totals given.
  7. When the contractors signs a tender in an Indian Language the percentage above or below and the tendered amount in case of CPWD form No.7 and the total amount tender in the case of CPWD form No.7 and total amount tendered in the case of CPWD form No.8 and should also be written in the same language. In a case of illiterate contractors the rates or the amounts tendered should be attested by a witness.
  8. Issue of tender form will be stopped one days before the date fixed for opening of tender.
  9. Earnest money amounting of **RS. 1,11,906/- (ONE LAKH ELEVEN THOUSAND NINE HUNDRED SIX ONLY)** (unless exempted) in deposit at call received/FDR of scheduled bank guaranteed by the Reserve Bank of India must accompany each tender.
  10. The contractor whose tender is accepted (unless exempted) will be required to furnish by way of security deposit for the due fulfillment of his contract.
    - I) In the case of works costing upto Rs. 1,00,000/- to 10% of the tender cost of work put to tender.
    - II) In the case of works costing more than Rs. 1,00,000/- and upto 2,00,000/- to 10% on the first Rs. 1,00,000/- and 7 % on the balance.
    - III) In the case of works costing more than Rs. 2,00,000/-, 10% on the first Rs. 1,00,000/-, 7 % on the next Rs. 1,00,000/- and 5% on the balance amount.
  11. The security amount will be deposited by contractor in the form of FDR/CDR of any Bank RBI pledged to the Superintending Archaeologist, Archaeological Survey of India, Agra Circle, Agra. Earnest money deposited at the time of tender, will be treated as a part of the security deposit. The security amount will also be accepted in the shape of Government securities. Fixed deposit receipt of nationalize banks will be accepted for this purpose provided confirmatory advise is forthcoming from the Reserve Bank of India. Validity of bid should be minimum of 12 months.
  12. The right of acceptance of a tender will be with **SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE, AGRA** who does not bind himself to accept the lowest tender and reserves to himself the authority to reject any or all of the tenders received without assignment of a reason. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected.
  13. Canvassing in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to Canvassing will be liable to rejection.
  14. All rates shall be quoted on the proper form of the tender alone.
  15. The criteria for approval of the lowest tender is over all lowest one against the total cost of the tender amount of all tenders.
  16. On acceptance of the tender, the name of the accredited representative(s) of the contractor who would be responsible for taking instructions from the Engineer in charge shall be communicated to the Engineer in charge.
  17. Special care should be taken to write the rates in figures as well as in words and the amounts in figures only, in such a way that interposition is not possible. The total amount should be written both in figures and words. The case of figures, the word Rs. should be written before rupees and word (P) after the decimal figures e.g. 2.15 p and case of words the word (Rupees) should proceed and the word 'only' it should in variably upto decimal places. While quoting the area in the schedule of quantities the word only should be written closely following the amount and it should not be written closely following the amount and it should not be written in the next line.
  18. The President of India does not bind himself to accept the lowest or any tender and reserves to himself the right of accepting the whole or any part of the tender and tenderer shall be bound to perform the same at the rates quoted.
  19. GST or any other or material in respect of this contracts shall be payable by the contractor and Government will not entertain any claim whatsoever in this respect.
  20. The Contractor shall not be permitted to tender for works in the ASI circle (responsible for award and supply of the contracts) in which his near relative is posted as an officer in any capacity between the grades of Superintending Engineer and Assistant (both inclusive). He shall also intimate the names of persons who are working with him in capacity or are subsequently employed by him and who are near relatives to any Gazetted officer in ASI or in the Ministry of Tourism and Culture by the contractor should render him liable to be removed from the approved list of contractors of this Department.
  21. The tender of works shall remain valid for a period of **120 days** from the date of opening of tenders. If any tender withdraws his tender before the said period or make any modifications in the terms and conditions of the tender, which are not acceptable to the department. Then the Government shall forfeit 100% of the said earnest money absolutely.
  22. Contractors exempted from payment of Earnest money and Security Deposit in individual cases should attach with the tender an attested Copy of Competent authorities letter exempting them from the payment of Earnest Money and Security Deposit and should produce the original whenever called upon to do so.
  23. The tender for the work shall not be witnessed by a contractor or contractors who himself/themselves has /have tendered or who may and has /have rendered for the same work. Failure to observe this condition would render of the contractors tendering as well as witnessing the tender liable to summary rejection.
  24. The copy of uploaded document should be submitted to this office along with the EMD and tenders fee before opening of tender.
- Should this tender be accepted, I/we hereby agree abide by and fulfil all the terms and provisions of the said conditions annexed hereto so far as applicable and or in detail thereof to forfeit and pay to the President of India or his successor in office the sum of money mentioned in the said conditions.
- A sum of Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_) s herewith forwarded in F.D.R. vide No. \_\_\_\_\_ dated \_\_\_\_\_ as earnest money and a sum of Rs. \_\_\_\_\_ (Rs. \_\_\_\_\_) in the form of DD. If I /we fails to commence the work as specified in the above memorandum or is I/we fail to deposit the amount of security deposit specified against (ii) a in the above memorandum in accordance with the clause I of the said conditions of contract. I/we agree that the said President of India or his successor in office shall be at liberty to cancel the acceptance of the tender if I /we fail to deposit security amount as aforesaid.







FILE NO-03/FTS/40/2023-2024/W  
GOVERNMENT OF INDIA  
OFFICE OF SUPERINTENDING ARCHAEOLOGIST  
ARCHAEOLOGICAL SURVEY OF INDIA  
AGRA CIRCLE, THE 22 MALL ROAD, AGRA


DATE OF OPENING: 28/03/2024 at 15.30 Hrs. TENDER DOWNLOADED TILL 27/03/2024 at 15.00 Hrs.  
NAME OF WORK: PROVISION OF IMPROVING OF VISITOR MOVEMENTS AND AMENITIES AT FATEHPUR SIKRI, AGRA  
I/We hereby tender for the President of India of the work described in the under mentioned memorandum according to the specification within the times specified and at the rates specified therein subject to the conditions to the contract: -

**MEMORANDUM**

- (I) EARNEST MONEY RS. 1,11,906/- (ONE LAKH ELEVEN THOUSAND NINE HUNDRED SIX ONLY)  
(II) SECURITY DEPOSIT Rs. 2,30,811.00 (Rs. TWO LAKHS THIRTY THOUSAND EIGHT HUNDRED ELEVEN) ONLY.  
(III) PAYABLE IMMEDIATELY ON THE ACCEPTANCE OF THE TENDER (Security Deposit) ---  
(IV) PERCENTAGE TO BE DEDUCTED FROM BILL: Income tax and other taxes as applicable by the government  
(V) PLACE OF WORK- FATEHPUR SIKRI, AGRA.

Sl. NO	Description of execution of work	Quantity		Rate (in words)	Total amount (in words)
1.	Demolishing R.C.C. work manually/ by mechanical means including and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge. (Rate Including G.S.T.).	7.43	Cum		
2.	Demolishing brick work manually/ by mechanical means including disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. (Rate Including G.S.T.).	41.15	Cum		
3.	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix). (Rate Including G.S.T.).	9.08	Cum		
4.	Earth work in excavation by manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift up to 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. (Rate Including G.S.T.).	31.30	Cum		
5.	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources). (Rate Including G.S.T.).	13.41	Cum		
6.	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 coarse sand).use 80 % old brick collected by against item no 2. (Rate Including G.S.T.).	20.48	Cum		
7.	Providing and laying damp-proof course 50mm thick with cement concrete 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20mm nominal size derived from natural sources). (Rate Including G.S.T.).	25.14	Sqm		
8.	Centering and shuttering including strutting, propping etc. and removal of form for Suspended floors, roofs, landings, balconies and access platform as per direction of Engineer-in-charge. (Rate Including G.S.T.).	85.59	Sqm		
9.	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources) as per direction of Engineer-in-charge. (Rate Including G.S.T.).	11.73	Cum		
10.	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level Mild steel and Medium Tensile steel bars as per direction of Engineer-in-charge. (Rate Including G.S.T.).	1151.39	Kg		
11.	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand) as per direction of Engineer-in-charge. (Rate Including G.S.T.).	37.39	Cum		
12.	Supply & fixing Red sand stone plain fine dressed in string coarse as Pillar, Daab, Slab, Beam, & Steps set in Cement mortar 1:6 (1 cement : 6 coarse sand), including pointing with white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade etc complete as per direction of Engineer-in-charge. (Rate Including G.S.T.).	6.74	Cum		


Rate Should not be quoted in this filed.





Rate Should not be quoted in this filed.


13.	Stone work, plain in copings, cornices, string courses, thevi, galta, carving panel etc. and plinth courses in Cement mortar 1:6 (1 cement : 6 coarse sand), including pointing with white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade etc complete as per direction of Engineer-in-charge. (Rate Including G.S.T.).	7.84	Cum
14.	Providing 12 mm cement plaster on wall, roof, ceiling etc mix : 1:4 (1 cement: 4 fine sand) etc complete. (Rate Including G.S.T.).	431.36	Sqm
15.	Providing & fixing of Red sand stone exposed face fine dressed with rough backing 30 thick Stone work (machine cut edges) for wall lining etc. (veneer work), backing filled with a grout of average 12 mm thick cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade etc complete as per direction of Engineer-in-charge. (Rate Including G.S.T.).	62.58	Sqm
16.	Providing and fixing Red sand stone jali 40 mm thick in cement mortar 1:3 (1 cement : 3 coarse sand), including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment, matching the stone shade, jali slab without any chamfers etc. (Rate Including G.S.T.).	4.73	Sqm
17.	Providing and fixing Red sand stone horizontal chajja of stone 40 mm thick and upto 80 cm projection in cement mortar 1:4 (1 cement : 4 coarse sand), including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade. (Rate Including G.S.T.).	23.86	Sqm
18.	Providing and fixing of Red sand stone 40 mm thick fine dressed stone flooring over 20 mm (average) thick base of cement mortar 1:5 (1 cement : 5 coarse sand), including pointing with cement mortar 1:2 (1 cement : 2 stone dust) with an admixture of pigment to match the shade of stone. (Rate Including G.S.T.).	71.86	Sqm
19.	Providing & laying 10 cm thick (average) mud phaska of damped brick earth on roofs laid to slope consolidated and plastered with 25 mm thick mud mortar mixed with bhusa @ 35 kg per cum of earth and gobra leaping with mix 1:1 (1 clay : 1 cow dung) and covered with flat tile bricks, grouted with cement mortar 1:3 (1 cement : 3 fine sand) mixed with 2% of integral water proofing compound by weight of cement and finished neat: With common burnt clay F.P.S.(non modular) brick tile of class designation 10. (Rate Including G.S.T.).	79.30	Sqm
20.	Providing and laying Vitrified tiles in floor with different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS : 15477, in average 6 mm thickness, Size of Tile 600x600 mm glazed vitrified tiles matt/ Antiskid finish etc. complete. (Rate Including G.S.T.).	48.56	Sqm
21.	Providing and fixing Mughal pattern door of size 1.20m x 2.10m of Sal wood Malaysian having 4 cm. thick back and fix frame 4 cm. thick and moulded baini including 82 nos conical headed nail, 3 nos kunda with janjeer, 2 nos pivot and locking arrangement etc complete. (Rate Including G.S.T.).	4.00	Nos.
22.	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length Second class teak wood. (Rate Including G.S.T.).	0.24	Cum
23.	Providing and fixing glazed shutters for doors, windows and clerestory windows using 4 mm thick float glass panes, including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws, handle, dandala. Second class teak wood 35 MM thick. (Rate Including G.S.T.).	8.93	Sqm
24.	Providing and fixing 18 mm thick Granite stone slab colour black, Cherry/Ruby red gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels. (Rate Including G.S.T.).	12.19	Sqm
25.	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. (Rate Including G.S.T.).	279.19	Sqm
26.	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gms/litre, of approved manufacturer, of required shade and colour complete, as per manufacturer's specification two or more coats on new work (Rate Including G.S.T.).	279.19	Sqm
27.	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture. (Rate Including G.S.T.).	37.61	Sqm





Rate Should not be quoted in this filed.

28.	Providing and fixing R.O. plant of 1000 Ltr/hr. capacity having SS skid mounted, Fully covered, Manual as well as fully automatic in installed at Fatehpur Sikri, Agra. Specification and component given below - (1) Capacity - 1000 LPH, (2) Working Pressure- 10-12 Bar, (3) Booster pump 2-18 - vertical pump/R.O. pump SS 316 Sumo/DP/Eq., (4) Membrane Material - TFC with FRP outer wrap, membrane size x unit - 40 x 40 x 4 Dow/GE osmonics/Eq., (5) membrane Housing Material - SS/FRP (Maxima/Imported), (6) Membrane Housing - 80 x 40 x 2, (7) Flow Meter - Pure water & waste water, (8) Pressure Gauges - 4 Nos. (Sand filter, Carbon filter, MCF, Membrane feed and reject). (9) Water quality indicator - On line TDS meter, (10) Electrical Controls - Main Supply : On/Off, Over load protection, High Pressure Pump : On/Off, Raw water pump : On/Off, Dosing pump : On/Off, High Pressure/Low Pressure Tripping, level sensor, (11) Frame/skid - Stainless steel, (12) Solenoid valve 1", (13) Pre Filtration - sand filter & carbon filter, (14) Feed water Requirement - Feed water Temp:20-45 C, SDI, (15) Storage Tank (Triple layer) 3000 ltr. cap., (16) Storage Tank white - Rectangular (ISI) 1000 ltr. cap., (17) Water Supply line fittings UPVC, (18) MP Valve imported 1" 2 Nos., (19) Micron filter big blue 20" with housing Imported, (20) Electric Panel Automatic, (21) Skid SS 304 grade for R.O. Plant, (22) SS Stand for pure water tank, (23) Floty 2 Nos. (24) Vassals Aventura / Wavs Cyber 1665 T & D. etc complete with fabrication charges (Rate Including G.S.T.).	1.00	Set
29.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 20 mm nominal dia Pipes. (Rate Including G.S.T.).	60.00	Mtr
30.	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 25 mm nominal dia Pipes. (Rate Including G.S.T.).	30.00	Mtr
31.	Providing and fixing Stainless Steel A ISI 304 (18/8) sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required :470x420 mm bowl depth 178 mm. (Rate Including G.S.T.).	4.00	Each
32.	Disposal of moorum/building rubbish/ malba/ similar unserviceable, dismantled or waste material by mechanical transport including loading, transporting, unloading to outside of municipal limits for lead upto 10 km for all lifts, complete as per directions of Engineer-in-charge. (Rate Including G.S.T.).	68.39	Cum
33.	Provision for Concealed Electric Fitting with PVC pipe 25mm dia with all assesorey in 90.21 Sqm area of both building with 21 Point 6AMP, 10 Point 15AMP, 10 Nos 18W LED Bulb, 6 Nos Modular Board PVC 4way Havells, 10 Nos Bulb Holder, 6 Nos 18W Tube Light Complete, 5 Nos Reguletor for Fan, 3 Nos Ceiling Fan 12mm Havells, 6AMP Switch 31 Nos, Socket 10 Nos, Use Copper Wire 1.5mm & 2.5mm for 6AMP and 4mm for power point including invertor line, Modular Board PVC 12 Way, Modular Board PVC 8 Way Box and Exhaust Fan 12" Havells or Eq. including make circuit for every room (Rate Including G.S.T.).	1.00	Job
34.	Providing & Fixing of MCB 32 Amp Havells or Eq. (Rate Including G.S.T.).	6.00	Nos.
35.	Providing & Fixing of Stablizer 10 KVA for R.O. Plant Microtek/ Luminous or Eq. (Rate Including G.S.T.).	1.00	Nos.
36.	Providing & Fixing of Water Cooler 300/300 Ltr Usha or Eq. (Rate Including G.S.T.).	1.00	Nos.
37.	Providing & Fixing of 35MM 4 Core Aluminium Cable Armoured (Rate Including G.S.T.).	30.00	Rmt
38.	Taking out & resetting of bulged red sand stone work as carved panel on facade, veneer stone, dab, gola-galta, Chhajja etc. after removal of vegetational roots & set in Cement mortar 1:6 (1 cement : 6 coarse sand) & mixing with coloring pigment including supply of all materials, scaffolding, labour T&P etc required for proper completion of work. (Rate Including G.S.T.).	0.84	Cum
39.	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. (Rate Including G.S.T.).	33.60	Sqm
40.	Providing & Fixing of Pillar Cock Tap Pressmatic Eon Hindware or Eq. (Rate Including G.S.T.).	4.00	Nos.
41.	Providing & Fixing of Waste Pipe (Rate Including G.S.T.).	7.00	Nos.
42.	Providing & Fixing of SS 4" dia Jali (Rate Including G.S.T.).	10.00	Nos.
43.	Supply of Plastic Mug 1 Ltr Cap. Cello Brand or Eq. (Rate Including G.S.T.).	2.00	Nos.





44.	Providing & Fixing of Mirror 2x0.60x0.75 mtr (Rate Including G.S.T.).	0.90	Sqm
45.	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required :W.C. pan with ISI marked white solid plastic seat and lid. (Rate Including G.S.T.).	2.00	Nos.
46.	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : One urinal basin with 5 litre white P.V.C. automatic flushing cistern. (Rate Including G.S.T.).	1.00	Nos.
47.	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps. (Rate Including G.S.T.).	2.00	Nos.
48.	Providing & Fixing of Pillar Tap/ Cock Hindware or Eq. (Rate Including G.S.T.).	2.00	Nos.
49.	Providing & Fixing of Connection Pipe Size 12" to 18" (Rate Including G.S.T.).	6.00	Nos.
50.	Providing & Fixing of Bib Cock Hindware or Eq. (Rate Including G.S.T.).	2.00	Nos.
51.	Providing & Fixing of Angle Valve Hindware or Eq. (Rate Including G.S.T.).	5.00	Nos.
52.	Providing & Fixing of Health Fucet Hindware or Eq. (Rate Including G.S.T.).	2.00	Nos.
53.	Providing & Fixing of Soap Dispensor (Rate Including G.S.T.).	2.00	Nos.
54.	Providing & Fixing of Tissue Paper Holder (Rate Including G.S.T.).	2.00	Nos.
55.	Providing & Fixing of Towel Rod/ Ring Hindware or Eq. (Rate Including G.S.T.).	2.00	Nos.
56.	Providing & Fixing of Hanger SS (Rate Including G.S.T.).	2.00	Nos.

SIGNATURE OF CONTRACTOR





**(TECHNICAL ELIGIBILITY CRITERIA)**  
**ELIGIBILITY CERTIFICATES TO BE ENCLOSED BY THE COMPANY/ FIRM/ AGENCY/ CONTRACTOR**

The tendering for execution of work Company/Firm/Agency/Contractor should submit the following documents (self-attested copy).

Sl. NO.	REQUIREMENT	RELEVANT DOCUMENT TO BE PROVIDED	Enclosed Yes/No	PAGE NO. Of Bid Document
1.	The firm/Agency should have registration in ASI / State PWD or any central Government department for civil work.	Copy of Registration certificate to be provided	Yes/No	
2.	The Firm/ Agency/ Contractor should be registered with GST.	Copy of Registration Certificate to be provided	Yes/No	
3.	The Firm/Agency should have Income Tax Return for three financial year 2019-2020, 2020-2021 and 2021-2022 (A.Y. 2020-2021, 2021-2022 & 2022-2023).	Copy of I.T.R for financial year 2019-2020, 2020-2021 and 2021-2022 (A.Y. 2020-2021, 2021-2022 & 2022-2023).	Yes/No	
4.	Pan Card	Copy of Pan Card should be provided	Yes/No	
5.	The firm/agency should have average annual financial turnover for three financial year (2019-2020, 2020-2021 and 2021-2022), should be at least 30% of the tender cost i.e. Rs. 13,42,866/-. A certificate in this regard issued by the CA has to be submitted.	Copy to be provided. (Balance Sheet will not be valid).	Yes/No	
6.	Experience:- The firm / agency should have experience for completion of 1- Three Similar nature of works of each costing not less than 40% of the tender cost i.e. 17,90,488/- OR 2- Two Similar Nature of works each Costing not less than 50% of the tender cost i.e. Rs. 22,38,1112/- OR 3- One Similar Nature of work costing not less than 80% of the tender cost i.e. Rs. 35,80,977/-. And those work/works should have been completed during the last seven financial years. i.e. 2016-2017 to 2022-2023.	Copy of work order and its completion certificate to be provided to any Govt. Department. (Completion Certificate must contain amount in which work completed).	Yes/No	
7.	EMD (in FDR form) or Exemption Certificate or Bid Security Declaration Certificate,	Copy to be provided.	Yes/No	
8.	Tender acceptance Letter on letter head and Declaration Certificate of black listing.	Copy to be provided.	Yes/No	

1. Those Bidders who have not mentioned page number against the above point 1-8 in the column of **PAGE NO. Of Bid Document** will not be evaluated and may be rejected in Technical Stage.

2. The bidders are requested to enclose only required documents.

3. For experience against Para 6 both work order and its completion certificate is mandatory. The copy of work order without completion certificate and Completion Certificate without Copy of Work Order will not be considered.

**Similar Nature of Work Means:-** The bidder should have the experience of similar Works at Heritage Site/Heritage Building/Monuments.





### LEGAL:-

- 1- Vendor will be responsible for timely payment to the supplied manpower and statutory authorities and compliance of all statutory provisions relating to minimum wages/specified contract amount etc. In respect of the person deployed by it in the ASI. The agency has to submit the copy of deposit of EPF/ESI with concerned authority every month as an evidence of payment in accounts of person deployed.
- 2- The tendering agency shall also be liable for depositing all taxes, levies, cess etc. On amount of service rendered by it to the Archaeological Survey of India to the concerned tax collection authorities from time to time as per extent rules and regulations on the matter.
- 3- The Provision of the information Technology Act (IT Act) as amended from time to time will be applicable to the vendor and the employees assigned by the vendor to Archaeological Survey of India.

### Force Measure:-

- 1- Force measure clause will mean and be limited to the following in the execution of the contract/purchase order placed by Archaeological Survey of India, "if at any time, during the continuance of contract, the performance in whole or in part by either party of any obligation under this contract shall be prevented or deployed by reason of any war, hostility, act of public enemy, civil commission, sabotage, fires, floods, explosions, epidemics, quarantine restrictions, strikes, lockouts or act of God (here in after referred to 'events') provided notice of the happening of such events is given by either party. This shall be reason enough to entitle both to terminate this contract and either party will not have any claim for damage against the other in respect of such non-performance or delay in performance. Deliveries under the contract shall be resumed as soon as practicable after such event has come to an end or ceased to exist, and the decision of the Director General, Archaeological Survey of India as to whether the deliveries have been so resumed or not, shall be final or conclusive, provided further that is the performance is whole or part or any obligation under this contract is prevented or delayed by reason or any such event for a period exceeding 30 days, either party may at its option terminate the contract"

### ARBITRATION:-


- 1- Archaeological Survey of India and the selected vendor shall make every effort to resolve amicably, by direct negotiation, any disagreement or dispute arising between them under or in connection with the work order. If any dispute arises between parties on aspects not covered by this agreement, or the construction or operation thereof, or the right or liabilities under these except as to any matters the decision of which is specially provide for by the general or the special conditions such dispute shall be referred to the arbitrator as appointed by Director General, Archaeological Survey of India and the award of arbitration, as the case may be, shall be final and binding on both the parties.. The arbitrator with the consent of parties may modify the time frame for making and publishing the awards. Such arbitration shall be governed in all respects by the provision of the Indian Arbitration Act 1996 or later and the rules there under and any statutory modification or re-enactment, thereof. The arbitration proceeding shall be held in New Delhi.

### APPLICABLE LAW:-

- 1- The Work will be governed by the laws and procedures established by the Government of India, within the frame work of applicable legislation and enactment made from time to time concerning such commercial dealings/processing.

### ADDITIONAL TERMS AND CONDITION:-

1. The successful bidder is responsible for adhering the norms of Pollution Control Board/Forest Department/TTZ during the execution of work. No material shall be stacked in any part of the road/approach of the road and approach pathway. Before stacking the material, the consultation may be done with the site in-charge and identify the space for the stacking of the material.
2. Only such quantity of the material will be kept at the site which require for work on daily basis to avoid inconvenience to the visitors. In case any additional stack of the material is found with the monument premises, the same shall be seized.
3. After completion of work within 3 days, all the additional material kept on the site will be removed and the working area will be made in presentable condition same as it was before the start of the work.
- 4- Violation of the above referred terms and conditions in any project will lead debarment of the firm.





# INSTRUCTIONS FOR ONLINE BID SUBMISSION

The Bidders are required to submit soft copies of their Bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the Bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their Bids online on the CPP Portal. More information useful for submitting online Bids on the CPP Portal may be obtained at: <https://eprocure.gov.in/eprocure/app>.

- 1) Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL: <https://eprocure.gov.in/eprocure/app>) by clicking on the link "Online Bidder Enrolment" on the CPP Portal which is free of charge.
- 2) As part of the enrolment process, the Bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the Bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / NCode / EMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a Bidder. Please note that the Bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

## SEARCHING FOR TENDER DOCUMENTS

- 1) There are various search options built in the CPP Portal, to facilitate Bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the Bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the Bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the Bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The Bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

## PREPARATION OF BIDS


- 1) Bidder should take into account any corrigendum published on the tender document before submitting their Bids.
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the Bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the Bid.
- 3) Bidder, in advance, should get ready the Bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every Bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the Bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a Bid, and need not be uploaded again and again. This will lead to a reduction in the time required for Bid submission process.

## SUBMISSION OF BIDS

- 1) Bidder should log into the site well in advance for bid submission so that they can upload the Bid in time i.e. on or before the Bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The Bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.
- 4) Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of Bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during Bid submission time. Otherwise the uploaded bid will be rejected.
- 5) Bidders are requested to note that they should necessarily submit their financial Bids in the format provided and no other format is acceptable. If the price Bid has been given as a standard BOQ format with the tender document, then the same is to be downloaded and to be filled by all the Bidders. Bidders are required to download the BOQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the Bidder). No other cells should be changed. Once the details have been completed, the Bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the Bidder, the Bid will be rejected.
- 6) The server time (which is displayed on the Bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the Bids by the Bidders, opening of Bids etc. The Bidders should follow this time during Bid submission.
- 7) All the documents being submitted by the Bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of Bid opening. The confidentiality of the Bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any Bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/Bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized Bid openers.
- 8) The uploaded tender documents become readable only after the tender opening by the authorized Bid openers.
- 9) Upon the successful and timely submission of Bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful Bid submission message & a Bid summary will be displayed with the Bid no. and the date & time of submission of the Bid with all other relevant details.
- 10) The Bid summary has to be printed and kept as an acknowledgement of the submission of the Bid. This acknowledgement may be used as an entry pass for any Bid opening meetings.

## ASSISTANCE TO BIDDERS

- 1) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2) Any queries relating to the process of online Bid submission or queries relating to CPP Portal in general may be addressed to the 24x7 CPP Portal Helpdesk Mobile Number - +91 8826246593 Tel: The 24 x 7 Help Desk Number 0120-4200462, 0120-4001002





**TENDER ACCEPTANCE LETTER**  
(To be given on Company Letter Head)

To,

SUPERINTENDING ARCHAEOLOGIST,  
ARCHAEOLOGICAL SURVEY OF INDIA,  
The 22, Mall Road, Agra Circle, Agra

Date:

SUB: ACCEPTANCE OF TERMS & CONDITIONS OF TENDER.

TENDER REFERENCE NO: 03/FTS/40/2023-2024/W (PIN CODE 283110)


NAME OF TENDER / WORK: - PROVISION OF IMPROVING OF VISITOR  
MOVEMENTS AND AMENITIES AT FATEHPUR SIKRI, AGRA

Dear Sir,

1. I/ We have downloaded / obtained the tender document(s) for the above mentioned 'Tender/Work' from the web site(s) namely: for the work of PROVISION OF IMPROVING OF VISITOR MOVEMENTS AND AMENITIES AT FATEHPUR SIKRI, AGRA.
2. I/ We hereby certify that I / we have read the entire terms and conditions of the tender documents from Page No. -- to --- (including all documents like annexure(s), schedule(s), etc.), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.
3. The corrigendum(s) issued from time to time by your department/ organization to have also been taken into consideration, while submitting this acceptance letter.
4. I/ We do hereby declare that our Firm has not been blacklisted/ debarred by any Govt. Department/Public sector undertaking.
5. I/ We certify that all information furnished by our Firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/ organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.
6. I/ We agree to complete the work after acceptance of the tender.

Yours Faithfully,

(Signature of the Bidder)  
with Official Seal





**DECLARATION**  
**(To be given on Company Letter Head)**

**TENDER REFERENCE NO: 03/FTS/40/2023-2024/W (PIN CODE 283110)**

**NAME OF TENDER / WORK: - PROVISION OF IMPROVING OF VISITOR  
MOVEMENTS AND AMENITIES AT FATEHPUR SIKRI, AGRA**

1. I,----- Son/Daughter of Shri ----- signatory of the agency/  
Firm mentioned above, is competent to sign this declaration and execute this tender  
document
2. I have carefully read and understood all the terms and conditions of the tender and undertake  
to abide by them:
3. My agency has not been blacklisted/ debarred from participating in tender by any Ministry,  
Department of Government of India and Government of India undertaking in the last Three (3)  
Years as on date of opening of this Tender.
4. The information/ documents furnished along with the above application are true and authentic  
to the best of my knowledge and belief.
5. I/ We am/ are well aware of the fact that furnishing of any false information/ fabricated  
document would lead to rejection of my tender at any stage besides liabilities towards  
prosecution under appropriate law:

Date:  
Place:

Signature of authorized person  
Full Name:  
Seal:

