

SECTION-1 TABLE — A: TIME AND WORK FRAME

EXECUTION OF WORK

FOR THE WORK UNDER- REPAIRS TO OLD STRUCTURE OF EXCAVATED TANK AT KANKALI TILA DISTT, MATHURA

MANUAL BIDS SHALL NOT BE ACCEPTED.

CRITICAL DATE SHEET

	CINITIOAL DI	
1.	Bid Start Date	02/01/2023
2.	Bid Document Download / Sale Start Date	02/01/2023
3.	Bid Submission Closing Date	14/01/2023at 15:00
4.	Technical Bid Opening Date	16/01/2023at 15:30
5.	Financial Bid Opening Date/Time	After Opening Technical Bid
6.	Validity of Bid	120 days from the date of opening.

Office of the ancher Superntenting Archaeological Survey of Incia अगुरार स्टाउट स्टाउ

The Archaeological Survey of India Agra Circle, Agra invites Online Bids in the prescribed form under the double Bid system i.e. technical and Financial Bid for Execution of work REPAIRS TO OLD STRUCTURE OF EXCAVATED TANK AT KANKALI TILA DISTT, MATHURA

1. The system of e-tendering shall be adopted as double Bid. Tender documents may be downloaded from CPPP site https://eprocure.gov.in/eprocure/app as per the schedule as given in CRITICAL DATE SHEET.

2. Bid Submission:

Applicants/ intending or interested Bidders are invited to submit their online proposal after carefully reading the Request for Proposal (RFP) by providing necessary document and submission of BOQ. Such proposal are to be submitted online within the stipulated date and time as mentioned in the Tender Document and as given in CRITICAL DATE SHEET. Bids shall be submitted online only at CPPP website: https://eprocure.gov.in/eprocure/app.

Bid documents may be scanned with 100 dpi with black and white option which help in reducing size of the scanned document.

3. Earnest Money Deposit:

The Hard Copy of original instruments in respect of cost of earnest money must be deposited to the SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE, 22 MALL ROAD, AGRA on or before Tender opening date/ time as mentioned in critical date sheet.

The offer without EMD will be rejected summarily. EMD is to be supplied by all the bidders except those who are registered with Central Purchase Organization, National Small Industries Corporation (NSIC)/ MSME or Who have submitted Bid Security Declaration.

4. <u>Tender cost Of Tender:</u> RS. 29,48,379/- (Rs. TWENTY NINE LAKHS FORTY EIGHT THOUSAND THREE HUNDRED SEVENTY NINE ONLY)

-: Contact Details:-

Contact Person	SUPERINTENDING ARCHAEOLOGIST
	SUPERINTENDING ARCHAEOLOGIST,
	ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE, 22
Address for communication	MALL ROAD,AGRA
	e-mail – circleagra.asi@gov.in
Contact No.	0562- 2227261

কার্যালয়
Office of the
anthrop grantolical
Superintending Anthropolical
Mixelia grantolical
Archeological Superyof India
antiqui কৰে, আন্দর্ভা

Agra Crete



FILE NO-03/MTH/53/2022-2023/W GOVERNMENT OF INDIA

भारत सरकार

Office of the Superintending Archaeologist कार्यालय अधीक्षण पुरातत्वविद् Archaeological Survey of India भारतीय प्रातत्व सर्वेक्षण Agra Circle, 22 Mall Road, Agra 282001 आगरा मण्डल, 22 माल रोड, आगरा 282001

NOTICE INVITING TENDER निविदा आमंत्रण सूचना

The Superintending Archaeologist, Archaeological Survey of India, Agra Circle, Agra, invites e-tender on the behalf of the President of India, through CPP Portal for the following works as per specification given below under the work REPAIRS TO OLD STRUCTURE OF EXCAVATED TANK AT KANKALI TILA DISTT, MATHURA from the registered contractors of Archaeological Survey of India or any Central Government Department.

अधीक्षण पुरातत्विवद्, भारतीय पुरातत्व सर्वेक्षण आगरा मण्डल, आगरा भारत के राष्ट्रपति की ओर से सी0 पी0 पी0 पोर्टल के माध्यम से कार्य REPAIRS TO OLD STRUCTURE OF EXCAVATED TANK AT KANKALI TILA DISTT, MATHURA हेतु भारतीय पुरातत्व सर्वेक्षण या केंद्र सरकार के किसी विभाग के पंजीकृत ठेकेदारों से ई टेंडर आमंत्रित करता है।

Eligibility Criteria: -

पात्रता मापदंड:-

- 1º The firm/Agency should have registration in ASI / State PWD or any Central Government Department
- क. फर्म / एजेंसी का सिविल कार्यों के लिये भारतीय पुरातत्व सर्वेक्षण / राज्य पी0डबल्यू0डी0 या केंद्र सरकार के किसी भी विभाग में पंजीकरण होना चाहिये।
- The firm/Agency should have GST registration.
- ख. फर्म / एजेंसी के पास जी० एस० टी० पंजीकरण होना चाहिये।
- 4. Pan Card.
- ग. पेन कार्ड।
- 5. The Firm/Agency should have income tax return for three financial year 2018-2019, 2019-2020 and 2020-2021. (A.Y. 2019-2020, 2020-2021, & 2021-2022).
- घ. फर्म/एजेंसी को तीन वित्तीय वर्ष 2018–2019, 2019–2020 एवं 2020–2021 (निर्धारण वर्ष 2019–2020, 2020–2021 एवं 2021-2022) का आयकर रिटर्न भरा होना चाहिये।
- 6. The firm/agency should have average annual financial turnover during three financial year (2018-2019, 2019-2020 and 2020-2021), should be at least 30% of the tender cost i.e. Rs. 8,84,514/-. A certificate in this regard issued by the CA has to be submitted.
- च. फर्म /एजेंसी के पास 3 वित्तीय वर्षों (2018–2019, 2019–2020 एवं 2020–2021)के दौरान औसत वार्षिक वित्तीय करीबार निविदा राशि का कम से कम 30 प्रतिशत होना चाहिये यानी रु० 8,84,514/- जिसे सी० ए० द्वारा जारी प्रमाण पत्र के रुप में प्रस्तृत करना होगा।
- 7. The firm / agency should have experience for completion at least three similar nature of work at at Monuments/heritage sites costing not less than 40% of the tender cost i.e. 11,79,352/- OR Two Similar Nature of works Costing not less than 50% of the tender cost i.e. Rs. 14,74,190/- OR One Similar Nature of work costing not less than 80% of the tender cost i.e. Rs. 23,58,703/-. And that/those work/works should have been completed during the last seven financial years. i.e. 2015-2016 to 2021-2022.
- छ. फर्म /एजेंसी को समान प्रकृति के तीन कार्य स्मारक/धरोहर स्थल पर निविदा राशि से 40 प्रतिशत से कम नहीं यानी रु० 11,79,352/- या दो समान प्रकृति का काम, निविदा राशि का 50 प्रतिशत से कम नहीं यानी रु० 14,74,190/- या एक समान प्रकृति का काम निविदा राशि का 80 प्रतिशत से कम नहीं यानी रु० 23,58,703/- का होना चाहिये और उन तीन कामों को पिछले सात वित्तीय वर्शों के दौरान पूरा किया जाना चाहिये यानी 2015-2016 से 2021-2022 के मध्य। बार्यालय
- 8. Copy of work order and completion certificate should be uploaded on CPP Portal as per tender
- ज. कार्य आदेश और पूर्णता प्रमाण पत्र की प्रतिलिपि आवश्यक निविदा के अनुसार सी0 पी0 पी0 पोर्टल पर अपलोड की जानी चाहिये।

The eligible Contractors may upload their tender documents online only at CPPP website: https://procure. gov.in/ eprocure /app. upto 15:00 hours of 14/01/2023which will be opened on dated 16/01/2023at 15:30 hours.

पात्र ठेकेदार केवल सीं0 पी0 पी0 वेबसाईट http://eprocure.gov.in/eprocure/app पर अपने निविदा दस्तावेज दिनांक 14/01/2023at 15:00 तक ऑनालाइन अपलोड कर सकते हैं जो दिनांक 16/01/2023at 15:30 खोला जाएगा।

TENDER COST RS. 29,48,379/- (Rs. TWENTY NINE LAKHS FORTY EIGHT THOUSAND THREE HUNDRED SEVENTY NINE ONLY)

अनुमानित राशि:- रु० 29,48,379/- (रु० उंतीस लाख अरतालीस हजार तीन सौ उनासी मात्र)

EARNEST MONEY RS. 73,709/- (SEVENTY THREE THOUSAND SEVEN HUNDRED NINE ONLY)

अमानत राशि:- रु० 73,709/- (रु० तेहत्तर हजार सात सौ नौ मात्र)

(Exemption as per rules) (नियमानुसार छूट)

The earnest money should be in the form of FDR drawn in favour of the "SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA" Payable at Agra of any scheduled bank guaranteed by the Reserve Bank of India and enclose with the tender.

अमानत राशि एफ0 डी0 आर0 के रूप में निविदा के साथ संलग्न होना चाहिए जो "भारतीय रिजर्व बैंक द्वारा समर्थित आगरा के किसी भी अनुसूचित बैंक में अधीक्षण पुरातत्वविद्, भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा के पक्ष में देय हो।

Time allowed for completion of work will be 90 days which will be reckoned after fifteen days from the date of issue of order. Tenders of the contractors who do not deposit earnest money in favour of the SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, AGRA CIRCLE in the prescribed form will be liable to be summarily rejected.

कार्य पूरा होने के लिए अनुमत समय 90 दिन होगा जिसे कार्य आदेश जारी होने की तारीख से पंद्रह दिनों के बाद से माना जाएगा। उन ठेकेंदारों की निविदाएं निरस्त मानी जाएगी जो अधीक्षण पुरातत्वविद्, भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा के पक्ष में निर्धारित राशि जमा नहीं करते हैं।

Conditions and tender forms can be downloaded from our ASI website www.asiagracircle.in and eportal eprocure.gov.in. w.e.f. 02/01/2023 to 14/01/2023upto 15:00 hours of each day.

निविदा शर्ते एवं प्रपत्र हमारी वेबसाईंट www.asiagracircle.in और e-portal eprocure.gov.in से दिनांक 02/01/2023 से दिनांक 14/01/2023upto 15:00 बजे तक डाउनलोड किए जा सकते हैं।

No tender shall be entertained after this deadline under any circumstances what so ever. The Bids of tenders will be opened on 16/01/2023AT 15:30 HRS. in the presence of authorized representative of Bidders as may wish to be personally present.

इस समय सीमा के बाद किसी भी परिस्थिति में कोई भी निविदा पर विचार नहीं किया जाएगा। निविदाओं की तकनीकि बोलियां बोलीदाताओं के अधिकृत प्रतिनिधि की उपस्थिति में या व्यक्तिगत रुप से उपस्थिति में दिनांक 16/01/2023 को 15:30 बजे खोली जाएगी।

Tender documents are available in the ASI website www.asiagracircle.in and e-portal eprocure.gov.in. The bidder must attach the copy of EMD should be deposited in ASI, Agra Circle Agra on or before the date of opening the tender.

भारतीय पुरातत्व सर्वेक्षण, आगरा की वेबसाईट <u>www.asiagracircle.in</u> और e-portal <u>eprocure.gov.in</u>. पर निविदा दस्तावेज उपलब्ध हैं। बोली लगाने वाले को तकनीकि निविदा खोलने से पहले भारतीय पुरातत्व सर्वेक्षण, आगरा मण्डल, आगरा में अमानत राशि की प्रति जमा करनी होगी।

The Archaeological Survey of India reserves the right to amend or withdraw any of the terms and conditions contained in the Tender Document or to reject any or all tenders without given any notice or assigning any reason. The decision of the Archaeological Survey of India, in this regard shall be final and binding on all parties in all circumstances.

भारतीय पुरातत्व सर्वेक्षण निविदा दस्तावेज में शामिल किसी भी नियम और शर्तों को संशोधित करने या वापस लेने या किसी भी नोटिस दिए बिना या कोई कारण बताए किसी भी या सभी निविदाओं को अस्वीकार करने का अधिकार सुरक्षित रखता है। इस सम्बंध में भारतीय पुरातत्व सर्वेक्षण का निर्णय सभी परिस्थितियों में सभी पक्षों पर अंतिम और बाध्यकारी होगा। कार्यास्य Office of the

आधीक्षण प्रचारित्वविद Supermenting Archaestor भारतीय पुरातिक सहिंशणी Archaeological Survey of India शागरा मण्डल, अन्छ Agra Circle, Meral

NAME OF WORK: REPAIRS TO OLD STRUCTURE OF EXCAVATED TANK AT KANKALI TILA DISTT, MATHURA

.	Description of Execution of work	Qty.	
1 1	Earth work in excavation by manual means in foundation trenchesor drains (not exceeding .5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift up to 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil, as per direction of Engineer-in-	34.97	çum
2. F	Charge. (Rate Including GST). Providing and laying in position cement concrete 1:3:6 (1 Cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size). of specified grade excluding the cost of centering and shuttering. as per direction of Engineer-in-charge. (Rate Including GST).	6.46	cum
3.	Providing & laying in position Lime concrete with brick aggregate 20 to 25 mm nominal size \$ 50% composite lime mortar 1:1:1 (1 U.Lime: 1 Shurkhi: 1 C. sand) foundation & top of wall including supply of all materials labours T&P etc. required for proper completion of work (Pate Including GST)	69.20	cum
l. (Tile brick masonry with common burnt clay F.P.S. (non modular) tile bricks of class designation 10 in super structure and plinth in Lime mortar 1:1:1 (1 lime : 1coarse sand: 1 Surkhi): as per direction of Engineer-in-charge, (Rate Including GST).	32.42	cum
5.	Recessed Pointing on tile brick work in lime mortar 1:1:1 (1 Lime : surkhi :1 C. sand): with colour matching including supply of all materials labour T. & P. etc. (Rate Including GST).	601.15	sqm.
6.	Purchasing of green iron wheeled dustbin capacity 350 ltr. for collected of Kankali temple & here and their garbage etc. (Rate Including GST).	1.00	job
7.	Removal of garbage/Earth by manual means then the excavated area including disposal of excavated earth, lead upto 50 m and lift upto 1.5 m, disposed earth to be levelled & neatly dressed. (Rate Including GST).	246.66	cum
8.	Dry stone pitching 22.5 cm thick including supply of stones and preparing surface complete. (Rate Including GST).	150.00	sqm.
9.	75mm. Thick semi finished Red sand stone (Edging) 25 cm above GL & 25 cm below GL for the protection of Excavated area, Tank & mound during Rainy season after digging of trench (25cm. deep and 10 cm.in width) and filling with available excavated earth for proper completion of work. (Rate Including GST).	163.50	Rmt.
10.	Making bajri path including preparation of subgrade, supplying and laying brick aggregate of 20-25 mm nominal size 7.5 cm deep with blinding material consisting of 12 mm moorum and 12 mm red bajri consolidated with road roller. (Rate Including GST).	261.00	sqm.
11.	Provision of new 5" Boring with 60 Rmt depth for Garden day to day maintenance at kankali tila mound with labour and materials etc. complete. (Detail Enclosed). (Rate Including GST).	1.00	job
12.	Providing steel and medium tensile steel bars reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete. Up to plinth level as per direction of Engineer-in-charge. (Rate Including GST).	590.00	Kg
13.	Providing and laying Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) : 3 graded stone aggregate 20 mm nominal size) of specified grade excluding the cost of centering and shuttering. as per direction of Engineer - in- charge. (Rate Including GST).	7.39	Cum
14.	Centering and shuttering including strutting, propping etc. and removal of form work for Columns, Pillars, Piers, Abutments, Posts and Struts. as per direction of Engineer-incharge. (Rate Including GST).	28.75	Sqm
	Centering and shuttering including strutting, propping etc. and removal of form work for Suspended floors, roofs, landings, balconies and access platform. as per direction of Engineer-in-charge. (Rate Including GST).	23.03	Sqm
16.	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in Cement mortar 1:6 (1 cement : 6 coarse sand) : as per direction of Engineer-in-charge. (Rate Including GST).	21.44	Cum
17.	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand) : as per direction of Engineer-in-charge. (Rate Including GST).	8.78	Cum कार्यालय fice of the
	15 mm cement plaster of mix 1:4 (1 cement: 4 coarse sand). as per direction of Engineer-in-	244.95	STREET,

Archaeological Survey of India

Agra Circle. Agray

	[18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [18] - [T	
	25-30mm tkick Red sand stone work (machine cut edges) for wall lining etc. (veneer work) upto 10 metre height, backing filled with a grout of average 12 mm thick cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade : including cramps and pins complete. as per direction of Engineer-in-charge. (Rate Including GST).	9.23	Sqm
20.	75 mm. thick Red Sand Stone Flooring fine dressed on top over 25 mm. thick lime Mortar (1 Lime. 1 C.Sand. 1 Surkhi). Matching to the Stone shade, pointing with same mortar and including supply of all Material, labour, T & P etc. required for proper completion of work. (Rate Including GST).	30.83	Sqm
21.	Supply & fixing of (40x40x6)mm size M.S. iron angle door frame, M.S. iron Z section 1 inch for window & ventilatore frame, section glass, with square bars 12 mm size 10 cm c/c including hold fast cutting fabricating welding nut bolt, Hings etc. complete. as per direction of Engineer-in-charge. (Rate Including GST).	110.00	Kg
	Providing and fixing ISI marked flush door shutters conforming to IS:2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws complete, as per direction of Engineer-in-charge. (Rate Including GST).	7.62	Sqm
23.	Providing and laying vitrified floor tiles size of 600 x 600 mm (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3kg/sqm including grouting the joints with white cement and matching pigments etc., complete. as per direction of Engineer-incharge. (Rate Including GST).	9.11	Sqm
	Providing and laying Vitrified wall tiles size of 500 x 500 mm (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, in skirting, riser of steps, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints (Payment for grouting of joints to be made separately). as per direction of Engineer-in-charge. (Rate Including GST).	30.26	Sqm
25.	Purchasing of L type corner sofa set with table, wooden Bed side table, wooden Almira with three doors etc. as per direction of Engineer-in-charge. (Detail Enclosed). (Rate Including GST).	1.00	job
26	Supplying and filling of local earth (including royalty) by mechanical transport up to a lead of 5km also including ramming and watering of the earth in layers not exceeding 20cm in trenches, plinth, sides of foundation etc. complete. (Rate Including GST).	84.84	Cum
27	Providing & fixing Float Plain glass of nominal thickness 5 mm in iron frame etc. complete. (Rate Including GST).	0.25	Sqm
28	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture. (Rate Including GST).	16.13	Sqm
29	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. (Rate Including GST).	58.68	Sqm
30	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour (two or more coats). (Rate Including GST).	58.68	Sqm
	Providing and fixing marble stone slab for urinal partition including rubbed, edges rounded and polished, cutting a chase of appropriate width with chase cutter and embedding the stone in the chase with epoxy grout or with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 6 mm nominal size) as per direction of Engineer-in-charge and finished smooth. (Rate Including GST).	0.45	Sqm
32	Providing and fixing white vitreous china flat back half stall urinal of size 580x380x350 mm with white PVC automatic flushing cistern, with fittings, standard size C.P. brass flush pipe, spreaders with unions and clamps (all in C.P. brass) with waste fitting as per IS: 2556, C.I. trap with outlet grating and other couplings in C.P. brass, including painting of fittings and cutting and making good the walls and floors wherever required: Range of two half stall urinals with 10 litre P.V.C. automatic flushing cistern. (Rate Including GST).	1	Nos
33	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and	Total and Officer of the	Nos

	fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests etc. (Rate Including GST).		
	Providing and fixing white vitreous china pedestal wash basin with pillar cock, angle cock, connection pipe and Upyc pipes fittings etc complete. (Rate Including GST).	2	Nos.
35.	Fencing with angle iron post placed at required distance embedded in cement concrete blocks, every 15th post, last but one end post and corner post shall be strutted on both sides and end post on one side only and provided with horizontal lines and two diagonals interwoven with horizontal wires, of barbed wire weighing 9.38 kg per 100 m (minimum), between the two posts fitted and fixed with G.I. staples, turn buckles etc. complete. (Cost of posts, struts, earth work and concrete work to be paid for separately). Payment to be made per metre cost of total length of With G.I. barbed wire. (Rate Including GST).	303.8	Rmt
36.	i i f i i i i i i i i i i i i i i i i i	1.00	job
37	P/F Electric items (Haveles) required for execution work of toilet complete. (Detail Enclosed). (Rate Including GST).	1.00	job
38	Removal of collected malwa at site by tractor trolley out of municipal limit etc. (Rate Including GST).	278.00	Cum

Evaluation Criteria

1- All documents to be uploaded in CPPP portal properly.

2- This is not an item wise bid. The L1 will be selected depending upon the overall lowest bid of all the items.

3- The bidders are requested to visit the site and examine the requirement and its rate accordingly before quoting the rate in Online BOQ. If the Quoted rate is obvious Vague (Extremely High or Extremely Low) the Same will not be considered and will be rejected at Financial Stage.

Superintending Archaeologist

Office of the Males of the Male

TERMS AND CONDITION FOR SUBMISSION OF TENDER

1. Tenders are hereby invited on behalf of the President of India. for the work under Tender cost of RS. 29,48,379/- (Rs. TWENTY NINE

LAKHS FORTY EIGHT THOUSAND THREE HUNDRED SEVENTY NINE ONLY)

2. Tender document consisting of the detailed plans, complete specifications, the schedule of quantities of the various items of work to be done, and the set of conditions of contract to be complied with by the person whose tenders may be accepted. The tender forms can be downloaded from our website. WWW.asiagracircle in and e-

portal eprocure.gov.in from 02/01/2023 to 14/01/2023.

2 (a) The site of the work is available, or the site for the work shall be made available by the department.

1. The Contractors should upload their tender documents online only at CPPP website: https://eprocure.gov.in/eprocure/app upto 15:00

hours of 14/01/2023 which will be opened on dated 16/01/2023 at 15:30 hours.

The time allowed for the work will be 90 days which will be reckoned after fifteen days from the date of issue of order to commence work

3. The contractors should quote in figures as well as in words the rate and amount tendered by them. The amount for each item should be worked out and the requisite totals

given.
4. When the contractors signs a tender in an Indian Language the percentage above or below and the tendered amount in case of CPWD form No.7 and the total amount tender in the case of CPWD form No.8 and should also be written in the same language. In a case of illiterate tender in the case of CPWD form No.7 and total amount tendered in the case of CPWD form No.8 and should also be written in the same language. contractors the rates or the amounts tendered should by attested by a witness.

5. Issue of tender form will be stopped one days before the date fixed for opening of tender.

6. Earnest money amounting of RS. 73,709/- (SEVENTY THREE THOUSAND SEVEN HUNDRED NINE ONLY)

(unless exempted) in deposit at call received/FDR of scheduled bank guaranteed by the Reserve Bank of India must accompany each tender 7. The contractor whose tender is accepted (unless exempted) will be required to furnish by way of security deposit for the due fulfillment of his contract.

7. The contractor whose tender is accepted (unless exempted) will be required to furnish by way of security deposit for the due fulliment of his contract.

1) In the case of works costing upto Rs. 1,00,000/- to 10% of the tender cost of work put to tender.

11) In the case of works costing more than Rs.1,00,000/- and upto 2,00,000/- to 10% on the first Rs.1,00,000/- and 5% on the balance.

11) In the case of works costing more than Rs.2,00,000/-, 10% on the first Rs.1,00,000/-, 7% on the next Rs. 1,00,000/- and 5% on the balance amount.

11) In the case of works costing more than Rs.2,00,000/-, 10% on the first Rs.1,00,000/-, 7% on the next Rs. 1,00,000/- and 5% on the balance amount.

11) In the case of works costing more than Rs.2,00,000/-, 10% on the first Rs.1,00,000/-, 7% on the next Rs. 1,00,000/- and 5% on the balance.

12) In the case of works costing more than Rs.2,00,000/- in the first Rs.1,00,000/-, 7% on the next Rs. 1,00,000/- and 5% on the balance.

13) In the case of works costing more than Rs.2,00,000/- in the first Rs.1,00,000/- and 5% on the balance.

14) In the case of works costing more than Rs.2,00,000/- in the first Rs.1,00,000/- and 5% on the balance.

15) In the case of works costing more than Rs.2,00,000/- in the first Rs.1,00,000/- and 5% on the balance.

16) In the case of works costing more than Rs.2,00,000/- in the first Rs.1,00,000/- and 5% on the balance.

17) In the case of works costing more than Rs.2,00,000/- in the first Rs.1,00,000/- and 5% on the balance.

18) In the case of works costing more than Rs.2,00,000/- in the first Rs.1,00,000/- and 5% on the balance.

19) In the case of works costing more than Rs.2,00,000/- in the first Rs.1,00,000/- and 5% on the balance.

19) In the case of works costing works costing works are the first Rs.1,00,000/- and 5% on the balance.

19) In the case of works costing works costing works are the first Rs.1,00,000/- and 5% on the balance.

20) In the case of works costing works are the first Rs.1,00,000/- and 5% on the balance.

21) In the India Agra Circle, Agra. Earnest money deposited at the time of tender, will be treated as a part of the security deposit. The security amount will also be accepted in the India, Agra Circle, Agra. Earnest money deposited at the time of tender, will be treated as a part of the security deposit. The security amount will also be accepted in the shape of Government securities. Fixed deposit receipt of schedule banks will be accepted for this purpose provided confirmatory advise is forthcoming from the Reserve Bank of India. Validity of bid should be minimum of 12 months.

9. The right of acceptance of a tender will be with SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA,

AGRA CIRCLE, AGRA who does not bind himself to accept the lowest tender and reserves to himself the authority to reject any or all of the tenders received without assignment of a reason. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected 10. Canvassing in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to Canvassing will be liable to rejection

11. All rates shall be quoted on the proper form of the tender alone

12. The criteria for approval of the lowest tender is over all lowest one against the total cost of the tender amount of all tenders. 13. On acceptance of the tender, the name of the accredited representative(s) of the contractor who would be responsible for taking instructions from the Engineer in charge

14-Special care should be taken to write the rates in figures as well as in words and the amounts in figures only, in such a way that interposition is not possible. The total amount should be written both in figures and words. The case of figures, the word Rs. should be written before rupees and word (P) after the decimal figures e.g. 2.15 p and case of words the word (Rupees) should proceed and the word 'only' it should in variably upto decimal places. While quoting the area in the schedule of quantities the word only it should be written places. only should be written closely following the amount and it should not be written closely following the amount and it should not be written in the next line

15. The President of India does not bind himself to accept the lowest or any tender and reserves to himself the right of accepting the whole or any part of the tender and

16. GST or any other or material in respect of this contracts shall be payable by the contractor and Government will not entertain any claim whatsoever in this respect tenderer shall be bound to perform the same at the rates quoted.

17. The Contractor shall not be permitted to tender for works in the ASI circle (responsible for award and supply of the contracts) in which his near relative is posted as an officer in any capacity between the grades of Superintending Engineer and Assistant (both inclusive). He shall also intimate the names of persons who are working with him in capacity or are subsequently employed by him and who are near relatives to any Gazetted officer in ASI or in the Ministry of Tourism and Culture by the contractor should render him liable to be removed from the approved list of contractors of this Department.

18. The tender of works shall remain valid for a period of 120 days from the date of opening of tenders. If any tender withdraws his tender before the said period or make any modifications in the terms and conditions of the tender, which are not acceptable to the department. Then the Government shall forfeit 100% of the said earnest

19. Contractors exempted from payment of Earnest money and Security Deposit in individual cases should attach with the tender an attested Copy of Competent authorities

letter exempting them from the payment of Earnest Money and Security Deposit and should produce the original whenever called upon to do so.

20. The tender for the work shall not be witnessed by a contractor or contractors who himself/themselves has /have tendered or who may and has /have rendered for the same work. Failure to observe this condition would render of the contractors tendering as well as witnessing the tender liable to summary rejection.

21. The copy of uploaded document should be submitted to this office along with the EMD and tenders fee before opening of tender.

Should this tender be accepted. I/we hereby agree abide by and fulfil all the terms and provisions of the said conditions annexed hereto so far as applicable and or in detail thereof to forfeit and pay to the President of India or his successor in office the sum of money mentioned in the said conditions. ...) in the form of DD. If I /we fails to commence the work as specified in the above memorandum or is I/we fail to deposit the amount of security deposit specified against (ii) a in the above memorandum in accordance with the clause I of the said conditions of contract. I/we agree that the said President of India or his appearance in office shall without residue to a president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in office shall without president of India or his appearance in our president or his appearance in our president or his appearance in our president or his appearance i (Rupees_ that the said President of India or his successor in office shall/without prejudice to any other right or remedy, shall be retained by him towards such security deposit. I/we further agree that the said President of India or his successor in office shall also be at liberty to cancel the acceptance of the tender if I / we fail to deposit security amount as SIGNATURE AND ADDRESS OF CONTRACTOR aforesaid.

Mob. No. Phone No.-

PAN No. Signature & address of witness to signature of tenderer

The above tender is hereby accepted by me on behalf of the President of India 2022 Dated

Signature of the officer by whom THE TENDER IS ACCEPTED

> कार्यालय Office of the अधीवण मुस्त्रत्वविद् Superintending Jackneslogist भारतीय भूलकाता करीकाण Archaeotophali Survey of India आगरा अध्यात, उद्भगरा Apr. Glicle, Agrae



FILE NO-03/MTH/53/2022-2023/W **GOVERNMENT OF INDIA** OFFICE OF SUPERINTENDING ARCHAEOLOGIST ARCHAEOLOGICAL SURVEY OF INDIA AGRA CIRCLE, THE 22 MALL ROAD, AGRA

NAME & ADDRESS OF CONTRACTOR DATE OF OPENING: 16/01/2023at 15.30 Hrs.TENDER DOWNLOADED TILL 14/01/2023at 15.00 Hrs. NAME OF WORK: REPAIRS TO OLD STRUCTURE OF EXCAVATED TANK AT KANKALI TILA DISTT, MATHURA I/We hereby tender for the President of India of the materials described in the under mentioned memorandum according to the specification

within the times specified and at the rates specified therein subject to the conditions to the contractor: -

MEMORANDUM

- (I) EARNEST MONEY RS. 73,709/- (SEVENTY THREE THOUSAND SEVEN HUNDRED NINE ONLY)
- (II) SECURITY DEPOSIT Rs. 1,54,419.00 (Rs. ONE LAKH FIFTY FOUR THOUSAND FOUR HUNDRED NINE) ONLY.
- (III) PAYABLE IMMEDIATELY ON THE ACCEPTANCE OF THE TENDER (INCLUDING EARNEST MONEY DEPOSITED WITH THE TENDER) ---
- (IV) PERCENTAGE TO BE DEDUCTED FROM BILL: Income tax and other taxes as applicable by the government
- (V) PLACE OF WORK- KANKALI TILA DISTT MATHURA.

0	Description of execution of work	Quantit	.y	(in	Tota amount (in words)
	Earth work in excavation by manual means in foundation trenchesor drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift up to 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil, as per direction of Engineer-in-charge. (Rate Including GST).	34.97	cum		
2.	Providing and laying in position cement concrete 1.3.6 (1 Cement 1) obtained the 1.6 graded stone aggregate 20 mm nominal size), of specified grade excluding the cost of centering and shuttering, as per direction of Engineer-in-charge. (Rate	6.46	cum		
3.	Providing & laying in position Lime concrete with brick aggregate 20 to 25 min nominal size & 50% composite lime mortar 1:1:1 (1 U.Lime: 1 Shurkhi: 1 C. sand) foundation & top of wall including supply of all materials labours T&P etc.	69.20	cum		
4.	Tile brick masonry with common burnt clay F.P.S. (not modular) the brick of class designation 10 in super structure and plinth in Lime mortar 1:1:1 (1 lime: 1 coarse sand: 1 Surkhi): as per direction of Engineer-in-charge. (Rate Including 1 coarse)	32.42	cum		
5.	Recessed Pointing on tile brick work in lime mortar 1:1:1 (1 Lime : surkii : 1 C. sand): with colour matching including supply of all materials labour T. & P. etc.	601.15	sqm.		
6.	Purchasing of green iron wheeled dustbin capacity 350 ltr. for collected of Karikani tample % here and their garbage etc. (Rate Including GST).	1.00	job		
7.	Removal of garbage/Earth by manual means then the excavated area including disposal of excavated earth, lead upto 50 m and lift upto 1.5 m, disposed earth to disposal of excavated earth, lead upto 50 m and lift upto 1.5 m, disposed earth to disposal of excavated area including GST).	246.66	cum		
8.	Dry stone pitching 22.5 cm thick including supply of stones and preparing surface	150.00	sqm.		
9.	75mm. Thick semi finished Red sand stone (Edging) 25 cm above GL & 25 cm below GL for the protection of Excavated area, Tank & mound during Rainy season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with season after digging of trench (25cm. deep and 10 cm.in width) and filling with the season after digging of trench (25cm. deep and 10 cm. de	163.50	Rmt.		
10.	Making bajri path including preparation of subgrade, supplying and laying blick aggregate of 20-25 mm nominal size 7.5 cm deep with blinding material consisting of 12 mm moorum and 12 mm red bajri consolidated with road roller.	261.00	sqm.		
11.	Provision of new 5" Boring with 60 Rmt depth for Garden day to day maintenance at kankali tila mound with labour and materials etc. complete. (Detail Enclosed).	1.00	job		
12.	" ' contorcoment for R L. L. WOLK	590 00	Kg	3) Super	कार्याल Office of t घीडाण पुरात intending Arc

भागमा भवज्ञा, अन्यत 'Agra Circle, Agras

	[기본 1985] 그리네 그는 이 그는 나를 가장하게 들어왔다는 이번 가장 하게 되었다고 내려왔다. 그리네 그 나는 나는 나는 사람들이 살아보다 하는데 다른데 그리네요?			
3.	Providing and laying Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) : 3 graded stone aggregate 20 mm nominal size) of specified grade excluding the cost of centering and shuttering. as per direction of Engineer - in- charge. (Rate Including GST).	7.39	Cum	
4.	Centering and shuttering including strutting, propping etc. and removal of form work for Columns, Pillars, Piers, Abutments, Posts and Struts. as per direction of Engineer-in-charge. (Rate Including GST).	28.75	Sqm	
5.	Centering and shuttering including strutting, propping etc. and removal of form work for Suspended floors, roofs, landings, balconies and access platform. as per direction of Engineer-in-charge. (Rate Including GST).	23.03	Sqm	
6.	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in Cement mortar 1:6 (1 cement : 6 coarse sand): as per direction of Engineer-in-charge. (Rate Including GST).	21.44	Cum	
7.	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand) : as per direction of Engineer-in-charge. (Rate Including GST).	8.78	Cum	
8.	15 mm cement plaster of mix 1:4 (1 cement: 4 coarse sand). as per direction of Engineer-in-charge. (Rate Including GST).	244.95	Sqm	
9.	25-30mm tkick Red sand stone work (machine cut edges) for wall lining etc. (veneer work) upto10 metre height, backing filled with a grout of average 12 mm thick cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade : including cramps and pins complete. as per direction of Engineer-in-charge. (Rate Including GST).	9.23	Sqm	
0.	75 mm. thick Red Sand Stone Flooring fine dressed on top over 25 mm. thick lime Mortar (1 Lime. 1 C.Sand. 1 Surkhi). Matching to the Stone shade, pointing with same mortar and including supply of all Material, labour, T & P etc. required for proper completion of work. (Rate Including GST).	30.83	Sqm	
1.	Supply & fixing of (40x40x6)mm size M.S. iron angle door frame, M.S. iron Z section 1 inch for window & ventilatore frame, section glass, with square bars 12 mm size 10 cm c/c including hold fast cutting fabricating welding nut bolt, Hings etc. complete, as per direction of Engineer-in-charge. (Rate Including GST).	110.00	Kg	
2.	Providing and fixing ISI marked flush door shutters conforming to IS:2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws complete. as per direction of Engineer-in-charge. (Rate Including GST).	7.62	Sqm	
3.	Providing and laying vitrified floor tiles size of 600 x 600 mm (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3kg/sqm including grouting the joints with white cement and matching pigments etc., complete. as per direction of Engineer-in-charge. (Rate Including GST).	9.11	Sqm	,
4.	Providing and laying Vitrified wall tiles size of 500 x 500 mm (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, in skirting, riser of steps, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints (Payment for grouting of joints to be made separately). as per direction of Engineer-in-charge. (Rate Including GST).	30.26	Sqm	
5.	Purchasing of L type corner sofa set with table, wooden Bed side table, wooden Almira with three doors etc. as per direction of Engineer-in-charge. (Detail Enclosed). (Rate Including GST).	1.00	job	
6.	Supplying and filling of local earth (including royalty) by mechanical transport up to a lead of 5km also including ramming and watering of the earth in layers not exceeding 20cm in trenches, plinth, sides of foundation etc. complete. (Rate Including GST).	84.84	Cum	
27.	Providing & fixing Float Plain glass of nominal thickness 5 mm in iron frame etc. complete. (Rate Including GST).	0.25	Sqm	कार्यालय bince of the

			The state of the s	
28.	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture. (Rate Including GST).	16.13	Sqm	
29.	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. (Rate Including GST).	58.68	Sqm	
30.	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour (two or more coats). (Rate Including GST).	58.68	Sqm	
31.	Providing and fixing marble stone slab for urinal partition including rubbed, edges rounded and polished, cutting a chase of appropriate width with chase cutter and embedding the stone in the chase with epoxy grout or with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 6 mm nominal size) as per direction of Engineer-in-charge and finished smooth. (Rate Including GST).	0.45	Sqm	
32.	Providing and fixing white vitreous china flat back half stall urinal of size $580x380x350$ mm with white PVC automatic flushing cistern, with fittings, standard size C.P. brass flush pipe, spreaders with unions and clamps (all in C.P. brass) with waste fitting as per IS: 2556, C.I. trap with outlet grating and other couplings in C.P. brass, including painting of fittings and cutting and making good the walls and floors wherever required: Range of two half stall urinals with 10 litre P.V.C. automatic flushing cistern. (Rate Including GST).	1	Nos.	
33.	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests etc. (Rate Including GST).	2	Nos.	
34.	Providing and fixing white vitreous china pedestal wash basin with pillar cock, angle cock, connection pipe and Upvc pipes fittings etc complete. (Rate Including GST).	2	Nos.	
35.	Fencing with angle iron post placed at required distance embedded in cement concrete blocks, every 15th post, last but one end post and corner post shall be strutted on both sides and end post on one side only and provided with horizontal lines and two diagonals interwoven with horizontal wires, of barbed wire weighing 9.38 kg per 100 m (minimum), between the two posts fitted and fixed with G.I. staples, turn buckles etc. complete. (Cost of posts, struts, earth work and concrete work to be paid for separately). Payment to be made per metre cost of total length of With G.I. barbed wire. (Rate Including GST).	303.8	Rmt	
36.	P/F Sanitary and other articles required for execution work of toilet complete. (Detail Enclosed). (Rate Including GST).	1.00	job	
37.	P/F Electric items (Haveles) required for execution work of toilet complete. (Detail Enclosed). (Rate Including GST).	1.00	job	
38.	Removal of collected malwa at site by tractor trolley out of municipal limit etc. (Rate Including GST).	278.00	Cum	

SIGNATURE OF CONTRACTOR

कार्यालय Office of the उद्योग पुरातत्वविद् Superinte wing Archaeologist भारतीम पुरातत्व सर्वेशण Archibiogical Survey of India उपन्ता मण्डल, आगरा Agra Circle, Agra-

(TECHNICAL ELIGIBILITY CRITERIA) ELIGIBILITY CERTIFICATES TO BE ENCLOSED BY THE COMPANY/ FIRM/ AGENCY/ CONTRACTOR

The tendering for execution of work Company/Firm/Agency/Contractor should submit the

following documents (self-attested copy).

SI. NO.	wing documents (self-attested copy). REQUIREMENT	RELEVENT DOCUMENT TO BE PROVIDED	Enclosed Yes/No	PAGE NO. Of Bid Document
1.	The firm/Agency should have registration in ASI / State PWD or any central Government department for civil work.	Copy of Registration certificate to be provided	Yes/No	
2.	The Firm/ Agency/ Contractor should be registered with GST.	Copy of Registration Certificate to be provided	Yes/No	
3.	The Firm/Agency should have Income Tax Return for three financial year 2018-2019, 2019-2020 and 2020-2021 (A.Y. 2019-2020, 2020-2021 & 2021-2022).	Copy of I.T.R for financial year 2018-2019, 2019-2020 and 2020-2021 (A.Y. 2019-2020, 2020-2021 & 2021-2022).	Yes/No	
4.	Pan Card	Copy of Pan Card should be provided	Yes/No	
5.	The firm/agency should have average annual financial turnover for three financial year (2018-2019, 2019-2020 and 2020-2021), should be at least 30% of the tender cost i.e. Rs. 8,84,514/ A certificate in this regard issued by the CA has to be submitted.	Copy to be provided.	Yes/No	
6.	The firm / agency should have experience for completion of at least three similar nature of work at monument /heritage sites costing not less than 40% of the tender cost i.e. 11,79,352/- OR Two Similar Nature of works Costing not less than 50% of the tender cost i.e. Rs. 14,74,190/- OR One Similar Nature of work costing not less than 80% of the tender cost i.e. Rs. 23,58,703/ and those work/works should have been completed during the last seven financial years. i.e. 2015-2016 to 2021-2022.	Copy of work order and its completion certificate to be provided	Yes/No	
7.	EMD (in FDR form) or Exemption Certificate or Bid Security Declaration Certificate,	Copy to be provided.	Yes/No	
8.	Tender acceptance Letter on letter head and Declaration Certificate of black listing.	Copy to be provided.	Yes/No	

- 1. Those Bidders who have not mentioned page number against the above point 1-8 in the column of PAGE NO. Of Bid Document will not be evaluated and rejected in Technical Stage.
- 2. The bidders are requested to enclose only required documents.
- 3. For experience against Para 6 both work order and its completion certificate is mandatory. The copy of work order without completion certificate and Completion Certificate without Copy of Work Order will not be considered.

कार्यालय Office of the

AUTHORISED SIGNATORY

Americanding Archaeologist भारतीय पुरस्तस्य सर्वेक्सण

LEGAL:-

- 1- Vendor Will be responsible for timely payment to the supplied manpower and statutory authorities and compliance of all statutory provisions relating to minimum wages/specified contract amount etc. In respect of the person deployed by it in the ASI. The agency has to submit the copy of deposit of EPF/ESI with concerned authority every month as an evidence of payment in accounts of person deployed.
- 2- The tendering agency shall also be liable for depositing all taxes, levies, cess etc. On amount of service rendered by it to the Archaeological Survey of India to the concerned tax collection authorities from time to time as per extent rules and regulations on the matter.
- 3- The Provision of the information Technology Act (IT Act) as amended from time to time will be applicable to the vendor and the employees assigned by the vendor to Archaeological Survey of India.

Force Measure:-

1- Force measure clause will mean and be limited to the following in the execution of the contract/purchase order placed by Archaeological Survey of India, "if at any time, during the continuance of contract, the performance in whole or in part by either party of any obligation under this contract shall be prevented or deployed by reason of any war, hostility, act of public enemy, civil commission, sabotage, fires, floods, explosions, epidemics, quarantine restrictions, strikes, lockouts or act of God (here in after referred to 'events') provided notice of the happening of such events is given by either party. This shall be reason enough to entitle both to terminate this contract and either party will not have any claim for damage against the other in respect of such non-performance or delay in performance. Deliveries under the contract shall be resumed as soon as practicable after such event has come to an end or ceased to exist, and the decision of the Director General, Archaeological Survey of India as to whether the deliveries have been so resumed or not, shall be final or conclusive, provided further that is the performance is whole or part or any obligation under this contract is prevented or delayed by reason or any such event for a period exceeding 30 days, either party may at its option terminate the contract"

ARBITRATION:-

1- Archaeological Survey of India and the selected vendor shall make every effort to resolve amicably, by direct negotiation, any disagreement or dispute arising between them under or in connection with the work order. If any dispute arises between parties on aspects not covered by this agreement, or the construction or operation thereof, or the right or liabilities under these except as to any matters the decision of which is specially provide for by the general or the special conditions such dispute shall be referred to the arbitrator as appointed by Director General, Archaeological Survey of India and the award of arbitration, as the case may be, shall be final and binding on both the parties. The arbitrator with the consent of parties may modify the time frame for making and publishing the awards. Such arbitration shall be governed in all respects by the provision of the Indian Arbitration Act 1996 or later and the rules there under and any statutory modification or reenactment, thereof. The arbitration proceeding shall be held in New Delhi.

APPLICABLE LAW:-

1- The Work will be governed by the laws and procedures established by the Government of India, within the frame work of applicable legislation and enactment made from time to time concerning such commercial dealings/processing.

Superintending Archaeological Superintending Archaeological Superintending Archaeological Superintending Agricultura (Superintending Agricultura) (Superintending Archaeological Superintending Arc

INSTRUCTIONS FOR ONLINE BID SUBMISSION

The Bidders are required to submit soft copies of their Bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the Bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their Bids online on the CPP Portal. More information useful for submitting online Bids on the CPP Portal may be obtained at: https://eprocure.gov.in/eprocure/app.

REGISTRATION

- 1) Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL: https://eprocure.gov.in/eprocure/app) by clicking on the link "Online Bidder Enrolment" on the CPP Portal which is free of charge.
- As part of the enrolment process, the Bidders will be required to choose a unique username and assign a password for their accounts. 2) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used 3)
- for any communication from the CPP Portal. Upon enrolment, the Bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with 4) signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / NCode / EMudhra etc.), with their profile.

Only one valid DSC should be registered by a Bidder. Please note that the Bidders are responsible to ensure that they do not lend their 5)

DSC's to others which may lead to misuse.

Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER DOCUMENTS

- There are various search options built in the CPP Portal, to facilitate Bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the Bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- Once the Bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the Bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.

The Bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from

the Helpdesk.

PREPARATION OF BIDS

Bidder should take into account any corrigendum published on the tender document before submitting their Bids.

- Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the Bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of
- Bidder, in advance, should get ready the Bid documents to be submitted as indicated in the tender document / schedule and generally, 3) they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every Bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the Bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a Bid, and need not be uploaded again and again. This will lead to a reduction in the time required for Bid submission process.

SUBMISSION OF BIDS

Bidder should log into the site well in advance for bid submission so that they can upload the Bid in time i.e. on or before the Bid submission time. Bidder will be responsible for any delay due to other issues.

The Bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.

3) Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.

- Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given 4) in person to the concerned official, latest by the last date of Bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during Bid submission time. Otherwise the uploaded bid will be rejected.
- Bidders are requested to note that they should necessarily submit their financial Bids in the format provided and no other format is acceptable. If the price Bid has been given as a standard BOQ format with the tender document, then the same is to be downloaded and to be filled by all the Bidders. Bidders are required to download the BOQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the Bidder). No other cells should be changed. Once the details have been completed, the Bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the Bidder, the Bid will be rejected.

The server time (which is displayed on the Bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the Bids by the Bidders, opening of Bids etc. The Bidders should follow this time during Bid submission.

All the documents being submitted by the Bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of Bid opening. The confidentiality of the Bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any Bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/Bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized Bid openers.

The uploaded tender documents become readable only after the tender opening by the authorized Bid openers.

- Upon the successful and timely submission of Bids (I e after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful Bid submission message & a Bid summary will be displayed with the Bid no. and the date & time of submission of the Bid with all other relevant details.
- 10) The Bid summary has to be printed and kept as an acknowledgement of the submission of the Bid. This acknowledgement may be used as an entry pass for any Bid opening meetings.

ASSISTANCE TO BIDDERS

Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.

Any queries relating to the process of online Bid submission or queries relating to CPP Portal in general may be directed to the 24x7 2) CPP Portal Helpdesk Mobile Number - +91 8826246593 Tel: The 24 x 7 Help Desk Number 0120-4200462, 0120-4001002 fide of the

अधीताम पुरातानावेश Superintenning with a sologist भारतीय पुलतास्थ लाई होगा Archaeologist Startey of Infilia आन्त्रा क्डल, अगराः Agracticles Ages.

TENDER ACCEPTANCE LETTER (To be given on Company Letter Head)

Date:

To,

SUPERINTENDING ARCHAEOLOGIST, ARCHAEOLOGICAL SURVEY OF INDIA, The 22, Mall Road, Agra Circle, Agra

SUB: ACCEPTANCE OF TERMS & CONDITIONS OF TENDER.

TENDER REFERENCE NO: 03/MTH/53/2022-2023/W (PIN CODE 281004)

NAME OF TENDER / WORK: - REPAIRS TO OLD STRUCTURE OF EXCAVATED TANK AT KANKALI TILA DISTT, MATHURA

Dear Sir.

1. I/ We have downloaded / obtained the tender document(s) for the above mentioned 'Tender/Work' from the web site(s) namely: for the work of REPAIRS TO OLD STRUCTURE OF EXCAVATED TANK AT KANKALI TILA DISTT, MATHURA.

2. I/ We hereby certify that I / we have read the entire terms and conditions of the tender documents from Page No. -- to --- (including all documents like annexure(s), schedule(s), etc.), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.

3. The corrigendum(s) issued from time to time by your department/ organization to have also been taken into consideration, while submitting this acceptance letter.

- 4. I/ We do hereby declare that our Firm has not been blacklisted/ debarred by any Govt. Department/Public sector undertaking.
- 5. I/ We certify that all information furnished by our Firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/ organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.
- 6. I/ We agree to complete the work after acceptance of the tender.

Yours Faithfully,

(Signature of the Bidder) with Official Seal



DECLARATION

1.	1,	I, Son/Daughter of Shri								signatory of the agency					
	Firm	mentioned	above,	is	competent	to	sign	this	declaration	and	execute	this	tender		
	docui	ment													

- I have carefully read and understood all the terms and conditions of the tender and undertake to abide by them:
- 3. My agency has not been blacklisted/ debarred from participating in tender by any Ministry, Department of Government of India and Government of India undertaking in the last Three (3) Years as on date of opening of this Tender.
- 4. The information/ documents furnished along with the above application are true and authentic to the best of my knowledge and belief.
- 5. I/ We am/ are well aware of the fact that furnishing of any false information/ fabricated document would lead to rejection of my tender at any stage besides liabilities towards prosecution under appropriate law:

Signature of authorized person Full Name: Seal:

Date: Place:

कार्यालय Office of the अधीकण पुरातत्विविद् उupennlending Archaeologist आरकाड पुरातत्व सर्वेकण Archaeological Survey of India. आगरा सण्डल, आगरा Agra Circle, Agra